




Terminals & Splices > Crimp Wire Pins, Tabs & Ferrules



Terminal Type: **Bullet**

Wire Insulation Diameter (Max): **4 mm [.16 in]**

Accepts Wire Insulation Diameter Range: **1.4 – 4 mm [.06 – .157 in]**

Heavy Duty: **No**

Wire Size: **22 – 18 AWG**

Features

Product Type Features

Barrel Type	Closed Barrel
Insulated	Yes
Support Style	Insulation Support

Body Features

Insulation Sleeve Material	Polyamide
Double Wire	No
Insulation Material	Heat Shrinkable Nylon
Plating Material	Copper Alloy, Tin

Contact Features

Terminal Type	Bullet
---------------	--------

Termination Features

Bullet Diameter	4 mm[.157 in]
Bullet Terminal	With

Dimensions

Wire Insulation Diameter (Max)	4 mm[.16 in]
Accepts Wire Insulation Diameter Range	1.4 – 4 mm[.06 – .157 in]
Wire Size	509 – 1900 CMA
Barrel Inside Diameter	4 mm[.16 in]
Overall Length	33 mm[1.3 in]



Operation/Application

Heavy Duty	No
------------	----

Packaging Features

Packaging Quantity	100
Packaging Method	Bag

Other

Barrel Color	Red
--------------	-----

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2019 (197) Candidate List Declared Against: JAN 2019 (197)
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE’s information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) ‘Guidance on requirements for substances in articles’(Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of ‘complex object’, the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA “Guidance on requirements for substances in articles” (June 2017, version 4.0) and will be updating its statements accordingly.


Customers Also Bought

B-106-7401CS100


TE Part # CC2631-000
TE Internal #: CC2631-000




TE Part #684513-000
[202K232-100-01/86-0](#)




TE Part #CC2649-000
[B-106-1803CS50](#)




TE Part #CC2644-000
[B-106-8502CS100](#)




TE Part #CC2621-000
[B-106-1501CS100](#)




TE Part #CC2635-000
[B-106-1502CS100](#)




TE Part #CC2642-000
[B-106-4632CS100](#)



TE Part #CC2630-000
[B-106-4631CS100](#)



TE Part #CC2632-000
[B-106-8401CS100](#)



TE Part #CC2643-000
[B-106-7502CS100](#)



TE Part #749727-000
[ST18-2-55-20-5](#)

Documents

[Product Drawings](#)
[B-106-7401CS100](#)

English

[Product Specifications](#)
[Installation Procedure for Duraseal Splices and Terminals](#)
English