FF 250 PLUG HSG 1P NYLON BLACK V ACTIVE

FASTIN-FASTON | FASTIN-FASTON 250


TE Part # 176986-2 TE Internal #: 176986-2

View on TE.com >



Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Crimp Terminal Housings











Terminal & Splice Type: Receptacle
Housing Type: Receptacle Housing

Number of Positions: 1

Terminal Orientation: Straight

Housing Color: Black

Features

Product Type Features

Product Type	Terminal Housing
Terminates To	Wire & Cable
Housing Type	Receptacle Housing
Sealable	No
Insulated	No

Configuration Features

Body Features

Housing Color	Black
Mating Retention	With
Mating Alignment	With

Contact Features

Terminal & Splice Type	Receptacle
Terminal Orientation	Straight

Mechanical Attachment

FF 250 PLUG HSG 1P NYLON BLACK

TE Part # 176986-2 TE Internal #: 176986-2



Mating Retention Type	Latch
Mounting Style	Free Hanging
Housing Features	
Housing Material	Nylon
Dimensions	
Length	25 mm[.98 in]
Usage Conditions	
Operating Temperature Range	-40 – 120 °C[-40 – 248 °F]
Packaging Features	
Packaging Quantity	100
Packaging Method	Bag/Carton

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2019 (197) Candidate List Declared Against: JAN 2019 (197)
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

TE Part # 176986-2 TE Internal #: 176986-2



Also in the Series | FASTIN-FASTON 250





Customers Also Bought









Documents

Product Drawings

FF 250 PLUG HSG 1P NYLON BLACK

English

(222)

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_176986-2_A_c-176986-2-a.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_176986-2_A_c-176986-2-a.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_176986-2_A_c-176986-2-a.3d_stp.zip

English

Product Specifications

Product Specification

Japanese

.250 SERIES DOUBLE LOCK CONNECTOR

Japanese

FF 250 PLUG HSG 1P NYLON BLACK

TE Part # 176986-2 TE Internal #: 176986-2

