

AMP | AMP Superseal 1.5mm Series


AMP Superseal 1.5mm Series, Housing for male terminals, Wire-to-

Wire, 4 Position, Black, Signal

View on TE.com >



Connectors > Automotive, Truck, Bus, & Off-Road Connectors > Connector Housings > AMP SUPERSEAL 1.5MM, CONNECTOR HOUSING



Connector Style: Housing for male terminals

Mating Tab Width: 1.5 mm [.059 in]
Connector System: Wire-to-Wire

Number of Positions: 4

Centerline (Pitch): 6 mm [.236 in]

All AMP SUPERSEAL 1.5MM, CONNECTOR HOUSING (26)

Features

Product Type Features

Troduct Type readures	
Connector Style	Housing for male terminals
Connector System	Wire-to-Wire
Sealable	No
Hybrid Connector	No
Primary Locking Feature	Integrated in Housing
Strain Relief	No
Configuration Features	
Number of Positions	4
Number of Rows	1
Electrical Characteristics	
Nominal Voltage Architecture	12 V, 24 V
Operating Voltage	24 VDC
Body Features	
Cable Exit Angle	180°

PA GF

Black

1.5 mm[.059 in]

Body Material

Contact Features

Mating Tab Width

Color



Mechanical Attachment	
Terminal Position Assurance	Yes
Mounting Feature	Without
Polarized	Yes
Housing Features	
Centerline (Pitch)	6 mm[.236 in]
Dimensions	
Height	42 mm[1.654 in]
Length	31.8 mm[1.252 in]
Width	13.8 mm[.543 in]
Usage Conditions	
Operating Temperature Range	-40 - 125 °C[-40 - 257 °F]
Operation/Application	
Circuit Application	Signal
Industry Standards	
Degree of Protection	IP67
Packaging Features	
Packaging Method	Box
Packaging Quantity	900
Other	
Serviceable	Yes
Connector Position Assurance Capable	No

Product Compliance

For compliance documentation, visit the product page on TE.com>

ed Materials Above Threshold
HA Candidate List: JAN 2019 List Declared Against: JAN 2019
-



Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per
	homogenous material. Also BFR/CFR/PVC
	Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



Automotive Seals & Cavity Plugs(4)



Automotive, Truck, Bus, & Off-Road Housings(1)



Automotive, Truck, Bus, & Off-Road Terminals(8)



Other Automotive
Connector Accessories(1)

Also in the Series | AMP Superseal 1.5mm Series



Automotive Connector Caps & Covers(2)



Automotive Seals & Cavity Plugs(4)




Automotive, Truck, Bus, & Off-Road Housings(26)



Automotive, Truck, Bus, & Off-Road Terminals(16)





Customers Also Bought



Documents

Product Drawings

AMP SUPERSEAL 1.5 SERIES 4P CA

English

CAD Files

Customer View Model

ENG_CVM_282106-1_A2.2d_dxf.zip

English

Customer View Model

ENG_CVM_282106-1_A2.3d_igs.zip

English

Customer View Model

ENG_CVM_282106-1_A2.3d_stp.zip

English

3D PDF

English

Datasheets & Catalog Pages

AMP SUPERSEAL 1.5mm Connector System

English

ICT Terminals and Connectors Catalogue

English

Product Specifications

Product Specification

English

AMP Superseal 1.5mm Series, Housing for male terminals, Wire-to-Wire, 4 Position, Black, Signal



Product Environmental Compliance

MD_282106-1_10032016740_dmtec

English

MD_282106-1_10032016740_dmtec

English

Instruction Sheets

AMP SUPERSEAL 1.5 SERIES

English

Customer Manual (non U.S.)

English