



Connectors > Automotive, Truck, Bus, & Off-Road Connectors > Connector Housings > HDSCS HOUSINGS



Connector Style: **Housing for female terminals**
Mating Tab Width: **1.5 mm, 2.8 mm [.059 in, .11 in]**
Connector System: **Wire-to-Wire**
Number of Positions: **7**
Centerline (Pitch): **4 mm, 6 mm [.157 in, .236 in]**

[All HDSCS HOUSINGS \(186\)](#)

Features

Product Type Features

Connector Style	Housing for female terminals
Connector System	Wire-to-Wire
Sealable	Yes
Hybrid Connector	Yes
Primary Locking Feature	On the Terminal
Strain Relief	No
Row-to-Row Spacing	6 mm[.236 in]

Configuration Features

Number of Positions	7
Number of Rows	2

Electrical Characteristics

Nominal Voltage Architecture	12 V, 24 V, 42 V, 60 V
Operating Voltage	60 VDC

Body Features

Cable Exit Angle	Other
Body Material	PBT GF
Color	Black



Contact Features

Mating Tab Width	1.5 mm, 2.8 mm[.059 in][.11 in]
------------------	---------------------------------

Mechanical Attachment

Terminal Position Assurance	Yes
Mounting Feature	Without
Polarized	Yes

Housing Features

Centerline (Pitch)	4 mm, 6 mm[.157 in][.236 in]
--------------------	------------------------------

Dimensions

Height	31.25 mm[1.23 in]
Length	44 mm[1.732 in]
Width	25.7 mm[1.012 in]

Usage Conditions

Operating Temperature Range	-40 – 140 °C[-40 – 284 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Signal
---------------------	--------

Industry Standards

Degree of Protection	IP67
UL Flammability Rating	UL 94V-0

Packaging Features

Packaging Method	Box
Packaging Quantity	380

Other

Serviceable	Yes
Connector Position Assurance Capable	No

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold



EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JAN 2019 (197)
Candidate List Declared Against: JAN 2017 (173)

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE’s information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) ‘Guidance on requirements for substances in articles’(Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of ‘complex object’, the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA “Guidance on requirements for substances in articles” (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts

Automotive Connector Caps & Covers(3)

Automotive Seals & Cavity Plugs(2)

Automotive, Truck, Bus, & Off-Road Housings(2)

Automotive, Truck, Bus, & Off-Road Terminals(21)

Also in the Series | HDSCS

Automotive Connector Caps & Covers(19)

Automotive Seals & Cavity Plugs(1)

Automotive, Truck, Bus, & Off-Road Housings(189)

Other Automotive Connector Accessories(22)

Customers Also Bought





TE Part #2-1904093-1
V23086C1051A502-EV-TUBE



TE Part #480435-1
FASTON 187 REC HSG NAT



TE Part #6106996006
ATUM-24/8-2-50MM



TE Part #CT71593001
ACW0219-4.00-16(BP)



TE Part #EG67316001
RBK-VWS-125-NR1-X-200MM



TE Part #5053256106
RNF-100-3/4-2-95MM

Documents

Product Drawings

7 POS MIXED REC HSG CODD

English

7 POS MIXED REC HSG CODD

English

CAD Files

Customer View Model

ENG_CVM_CVM_4-1418480-1_J.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_4-1418480-1_J.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_4-1418480-1_J.3d_igs.zip

English

Datasheets & Catalog Pages

HDSCS Catalog

English

ICT Terminals and Connectors Catalogue

English

CONNECTOR SELECTOR

English



Product Specifications

Application Specification

English