
### AMP | MQS

MQS, Housing for female terminals, Wire-to-Wire, 2 Position, Sealable, Black, Signal

View on TE.com >



Connectors > Automotive, Truck, Bus, & Off-Road Connectors > Connector Housings > MQS, CONNECTOR HOUSING



Connector Style: Housing for female terminals

Mating Tab Width: .63 mm [ .025 in ]
Connector System: Wire-to-Wire

Number of Positions: 2

Centerline (Pitch): 4 mm [.157 in]

#### All MQS, CONNECTOR HOUSING (576)

### **Features**

### **Product Type Features**

Connector Style	Housing for female terminals
Connector System	Wire-to-Wire
Sealable	Yes
Hybrid Connector	No
Primary Locking Feature	On the Terminal
Strain Relief	No
Configuration Features	
Number of Positions	2
Number of Rows	1
Body Features	
Cable Exit Angle	180°
Body Material	PBT GF
Color	Black
Contact Features	
Mating Tab Width	.63 mm[.025 in]

Yes

Without

Mechanical Attachment

Mounting Feature

Terminal Position Assurance



Polarized	Yes
Housing Features	
Centerline (Pitch)	4 mm[.157 in]
Dimensions	
Height	15.2 mm[.598 in]
Length	17.4 mm[.685 in]
Width	24.15 mm[.951 in]
Usage Conditions	
Operating Temperature Range	-40 – 120 °C[-40 – 248 °F]
Operation/Application	
Circuit Application	Signal
Industry Standards	
Degree of Protection	IP69K
UL Flammability Rating	UL 94-HB
Packaging Features	
Packaging Method	Bag
Other	
Serviceable	No
301 VICCUDIC	INO

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2019 (197) Candidate List Declared Against: JAN 2019 (197)
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability



#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

### **Compatible Parts**



Automotive Seals & Cavity Plugs(3)



Automotive, Truck, Bus, & Off-Road Housings(4)



Automotive, Truck, Bus, & Off-Road Terminals(6)


## Also in the Series | MQS



Automotive Connector Caps & Covers(138)



Automotive Connector EMC Shielding(2)



Automotive Connector Locks & Position Assurance (29)



Automotive Seals & Cavity Plugs(27)



Automotive, Truck, Bus, & Off-Road Headers(205)



Automotive, Truck, Bus, & Off-Road Housings(501)




Automotive, Truck, Bus, & Off-Road Terminals(110)




Data Connectivity Headers (1)







# Customers Also Bought




TE Part #965906-1 MQS0,63 Sn rec LL EDS 0,5-0,75



TE Part #967056-1 MQS BLINDSTOPFEN4MM



TE Part #963715-1 MQS0,63 Sn rec LL unseal. 0,5-0,75



TE Part #967067-1 MQS SGL WIRE SEAL



### **Documents**

### **Product Drawings**

2 pos MQS rec sealed

English

#### **CAD Files**

**Customer View Model** 

ENG\_CVM\_CVM\_1-967644-1\_A.2d\_dxf.zip

English

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1-967644-1\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1-967644-1\_A.3d\_stp.zip

English



### Datasheets & Catalog Pages

Micro Quadlok Interconnection System (MQS)

English

**Product Specifications** 

**Application Specification** 

English

**Application Specification** 

German

**Application Specification** 

English

Product Environmental Compliance

TE Material Declaration

English