21P,2MM,REC,HSG,SR,CRIMP,PLAIN,BOX ! PRELIMINARY




AMPMODU | AMPMODU 2 mm

TE Part # 2-2316102-1 TE Internal #: 2-2316102-1

View on TE.com >



Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Housings



Connector System: Wire-to-Board

Number of Positions: 21

Centerline (Pitch): 2 mm [.079 in]

Termination Method to Wire & Cable: Crimp Snap-In

Number of Rows: 1

Features

Product Type Features

Connector System	Wire-to-Board
Row-to-Row Spacing	2 mm[.079 in]
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Connector Style	Receptacle
Product Type	Housing
Connector Type	Housing

Configuration Features

Number of Detents	None
Number of Positions	21
Number of Rows	1

Electrical Characteristics

Operating Voltage	125
Insulation Resistance	1000 ΜΩ

Contact Features



A constant Total	Danasa
Accepts Contact Type Contact Current Pating (May)	Receptacle 2 A
Contact Current Rating (Max)	ZA
Termination Features	
Termination Method to Wire & Cable	Crimp Snap-In
Mechanical Attachment	
Contact Retention Type	Locking Lance
PCB Mount Alignment	Without
Mating Connector Lock	Without
Panel Mount Feature	Without
Mating Retention	Without
Connector Mounting Type	Cable Mount (Free-Hanging)
Contact Retention	With
Housing Features	
Centerline (Pitch)	2 mm[.079 in]
Housing Color	Black
Housing Style	Receptacle
Housing Material	LCP (Liquid Crystal Polymer)
Dimensions	
Wire Size	24 – 30 AWG
Usage Conditions	
Flame Retardant	Yes
Operating Temperature Range	-40 - 125 °C[-40 - 257 °F]
Operation/Application	
Circuit Application	Signal
Industry Standards	
Approved Standards	UL E28476
UL File Number	E28476
UL Rating	Recognized
Agency/Standard	UL
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Method	Tube



Product Compliance


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Aktuelle ECHA Kandidatenliste: JAN 2019 (197) Kandidatenliste deklariert bezüglich: JUN 2018 (191)
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Also in the Series | AMPMODU 2 mm




Customers Also Bought

TE Part # 2-2316102-1 TE Internal #: 2-2316102-1





TE Part #4-928247-2 2P ST-TIMER GEH



TE Part #1217917-2 FASTON 250 14-18AWG BR



TE Part #1-521253-3
PL MKIII & FASTON 250
HSG 2P NYLON GREEN




TE Part #770894-6 06P SL156 HSG W/THRU BD LATCH




TE Part #1738494-1
FASTON 250 HSG
INFINITE SW NYLON NAT




TE Part #1969117-1 HSG,3P,RAST 5 CRIMP R /A,SPECIAL



TE Part #5-520963-1 ULTRA-POD 250 ASSY REC 18-14 AWG BR



TE Part #521081-1 ULTRA-POD 250 ASSY REC 18-14 AWG BR



TE Part #521823-1
PL 187 HOUSING REC
NYLON VO



TE Part #6-1123722-9
3.96 EP PLUG HSG 9P
(GREEN)

Documents

Product Drawings

21P,2MM,REC,HSG,SR,CRIMP,PLAIN,BOX

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2-2316102-1_1.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2-2316102-1_1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2-2316102-1_1.3d_stp.zip

English

Product Specifications

Application Specification

21P,2MM,REC,HSG,SR,CRIMP,PLAIN,BOX

TE Part # 2-2316102-1 TE Internal #: 2-2316102-1



English