

FF 110 REC 20-15 AWG SLIPB

✓ ACTIVE

FASTIN-FASTON | FASTIN-FASTON 110


TE Part # 160655-5

TE Internal #: 160655-5

[View on TE.com >](#)



Terminals & Splices > Quick Disconnects



Terminal & Splice Type: **Receptacle**

Wire Size: **.51 – 1.65 mm²**

Mating Tab Width: **2.8 mm [.11 in]**

Mating Tab Thickness: **.81 mm [.032 in]**

Features

Product Type Features

Wire Stop	No
Wire/Cable Type	Regular Wire
Terminates To	Wire & Cable
Insertion Force	Normal
Sealable	No
Insulated	No

Configuration Features

Connection Capacity	Single
---------------------	--------

Body Features

Fully Insulated	No
Plating Material	Silver

Contact Features

Terminal Type	Receptacle
Terminal & Splice Type	Receptacle
Terminal Orientation	Straight
Contact Base Material	Phosphor Bronze



Crimp Type	F-Crimp
Barrel Type	Open

Mechanical Attachment

	.038 in
Mating Retention Type	Locking Lance
Wire Insulation Support	With

Dimensions

Accepts Wire Insulation Diameter Range	2.01 – 3.1 mm[.079 – .122 in]
Overall Length	14 mm[.551 in]
Receptacle Terminal Stock Thickness	.25 mm[.01 in]
Wire Size	.51 – 1.65 mm ²
Mating Tab Width	2.8 mm[.11 in]
Mating Tab Thickness	.81 mm[.032 in]

Usage Conditions

Operating Temperature Range	-40 – 130 °C[-40 – 266 °F]
-----------------------------	----------------------------

Packaging Features

Packaging Quantity	10000
Packaging Method	Strip/Reel

Other

Comment	According to DIN 46340, Part 1
---------	--------------------------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2019 (197) Candidate List Declared Against: JAN 2019 (197)
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts

TE Part # 2150017-1
OCEAN_2.0_APPLICATOR-E-070F130F

TE Part # 2150017-2
OCEAN_2.0_APPLICATOR-E-070F130FA

TE Part # 2-2150017-2
OCEAN_2.0_APPLICATOR-E-070F130FA

TE Part # 7-2150017-7
OCEAN_2.0_SPARE_PART_KIT-070F130F

TE Part # 2-2150017-1
OCEAN_2.0_APPLICATOR-E-070F130F

Also in the Series | FASTIN-FASTON 110

Automotive, Truck, Bus, & Off-Road Housings(1)

Automotive, Truck, Bus, & Off-Road Terminals(5)

Crimp Terminal Housings (36)

Quick Disconnects(70)

Customers Also Bought

FF 110 REC 20-15 AWG SLIPB

TE Part # 160655-5
TE Internal #: 160655-5



TE Part #927357-2
FF 110 2P HOUSING PA66
BLACK

TE Part #1718155-1
COVER FOR 16 POS
SOCKET HSG

TE Part #5-160432-7
FASTON 250 REC 0.5-1.5
MM2 SILVER BR

TE Part #962795-1
TSPR ABDECKKAPPE

TE Part #9927423001
ACW0219-0.75-71(NS)

Documents

Product Drawings

FF 110 REC 20-15 AWG SLIPB

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_160655-5_AJ.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_160655-5_AJ.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_160655-5_AJ.3d_stp.zip

English

Product Specifications

EB**General Application Specification for Open Barrel Terminals

English

Application Specification

English

Agency Approvals

UL Report

English