1-2334530-2 ACTIVE

MULTI-BEAM

TE Internal #: 1-2334530-2

Rectangular Power Connectors, Header, Plug, Board-to-Board, Printed Circuit Board, UL 94V-0, 100A Contact Current Rating (Max)

View on TE.com >



Connectors > Power Connectors > Rectangular Power > Rectangular Power Connectors











Rectangular Power Connector Type: Header

Connector & Housing Type: Plug
Connector System: Board-to-Board

Connector & Contact Terminates To: Printed Circuit Board

UL Flammability Rating: UL 94V-0

Features

Product Type Features

Rectangular Power Connector Type	Header
Connector & Housing Type	Plug
Connector System	Board-to-Board
Connector & Contact Terminates To	Printed Circuit Board

Configuration Features

PCB Mount Orientation	Horizontal
Number of Power Positions	7
Number of Signal Positions	25
Number of Rows	5

Electrical Characteristics

Operating Voltage	60 VDC
a planta and a stange	

Contact Features

PCB Contact Termination Area Plating Material Finish	Matte
Contact Current Rating (Max)	100 A



Contact Retention Within Housing	With
PCB Contact Termination Area Plating Material	Tin
Contact Mating Area Plating Material	Gold
Housing Features	
Housing Color	Black
Housing Material	LCP GF30 (Liquid Crystal Polymer)
Dimensions	
Row-to-Row Spacing	2 mm
Usage Conditions	
Operating Temperature Range	-40 – 125 °C, -40 – 125 °C
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Method	Box & Tray

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUN 2020 (209) Candidate List Declared Against: JUL 2019 (201) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 245°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits




as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Customers Also Bought





















Documents

Product Drawings

MBPLUS,R/A,PLUG,SOLDER,5LP + 25S + 2P

English



CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-2334530-2_1.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-2334530-2_1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-2334530-2_1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Product Specifications

Application Specification

English

Application Specification

English

Product Environmental Compliance

Product Compliance

English

Product Compliance

English

Agency Approvals

UL

English