



Relays, Contactors & Switches > Switches > Slide Switches



Configuration (Pole-Throw): **Double Pole - Three Throw**

Slide Switch Mounting Angle: **Vertical**

Contact Base Material: **Copper Alloy**

Number of Actuators: **Single**

Number of Slide Switch Positions: **3**

Features

Product Type Features

Threaded Case	Without
Grade	Instrumentation
Switch Type	Slide
Product Type	Switch
Switch Style	Low Profile
Terminal Configuration	Standard
Actuator Style	Lever

Configuration Features

Terminals Connected	1-2, 5-6
Configuration (Pole-Throw)	Double Pole - Three Throw
Number of Actuators	Single
Number of Slide Switch Positions	3
Operating Function	On On On

Electrical Characteristics

Slide Switch Voltage Rating	125 VAC
-----------------------------	---------

Body Features

Actuator Travel	2 mm[.079 in]
Actuator Material	Thermoplastic



Actuator Color	Black
----------------	-------

Contact Features

Contact Base Material	Copper Alloy
Slide Switch Contact Current Rating	.3 A
Switch Contact Plating Material	Silver

Termination Features

Termination Type	PC
------------------	----

Mechanical Attachment

PCB Mount Retention	With
PCB Mount Retention Type	Guide Post
Slide Switch Mounting Angle	Vertical
Slide Switch Mounting Type	Through Hole

Dimensions

PCB Tail Length	3.51 mm[.138 in]
Actuator Length	4.5 mm[.18 in]
Width	6.2 mm[.2441 in]
Length	15 mm[.5906 in]

Identification Marking

Stamped Marking	With
-----------------	------

Industry Standards

UL Flammability Rating	UL 94-HB
------------------------	----------

Packaging Features

Packaging Method	Tray
------------------	------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUN 2020 (209) Candidate List Declared Against: JUN 2016 (169)



Does not contain REACH SVHC

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
-----------------	---

Solder Process Capability	Wave solder capable to 265°C
---------------------------	------------------------------

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Model / Part # 1825255-8 MHS133G04=SP3T SL SW VERT AU	 TE Model / Part # 1825255-7 MHS13304=SP3T SL SW VERT AG	 TE Model / Part # 1825289-1 MHS22204=DPDT SL SW VERT AG	 TE Model / Part # 1825290-3 MHS233RA04=DP3T SL SW R/A AG
 TE Model / Part # 1825255-1 MHS12204=SPDT SL SW VERT AG	 TE Model / Part # 1825289-8 MHS23304=DP3T SL SW VERT AG	 TE Model / Part # 1825255-5 MHS12304=SPDT SL SW VERT AG	 TE Model / Part # 1825289-5 MHS22304=DPDT SL SW VERT AG
 TE Model / Part # 1825289-2 MHS222G04=DPDT SL SW VERT AU	 TE Model / Part # 1825256-6 MHS133GRA04=SP3T SL SW R/A AU	 TE Model / Part # 1825256-1 MHS122RA04=SPDT SL SW R/A AG	 TE Model / Part # 1825256-3 MHS133RA04=SP3T SL SW R/A AG



TE Model / Part # 1825290-1
MHS222RA04=DPDT SL SW R/A AG

TE Model / Part # 1825290-2
MHS223RA04=DPDT SL SW R/A AG

TE Model / Part # 1825290-6
MHS233GRA04=DP3T SL SW R/A AU

TE Model / Part # 1825289-9
MHS233G04=DP3T SL SW VERT AU

Also in the Series | Alcoswitch MHS

Slide Switches(16)

Customers Also Bought

TE Model / Part #1-292250-3
AMP COMMON TERMINATION HEADERS

TE Model / Part #4-794625-0
10P MICRO MNL ASSY,R/A,SMT LF

TE Model / Part #2170519-1
CAGE ASSEMBLY, THRU BEZEL, QSFP

TE Model / Part #3-1624246-1
RSS3 39R 5% AMMO PK

TE Model / Part #5-1419136-2
RY613005

TE Model / Part #4-1419172-4
V23101D 6A301

TE Model / Part #6-1440000-7
STD OEG Miniature PCB OJT Power Relays

TE Model / Part #8-2180760-7
STRADA MESA,HD,HF,024,000,06,SN, Y,37

TE Model / Part #2-1445091-9
MICRO MNL HDR ASSY S/ROW AU LF

TE Model / Part #1986525-4
Hi Rise Header, 5.0mm, 4 posn



Documents

Product Drawings

MHS233K04=DP3T SL SW VERT AG

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-1825289-0_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-1825289-0_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-1825289-0_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

SWITCHES_CORE_PROGRAM_CATALOG

English

Product Environmental Compliance

TE Material Declaration

English