




Connectors > Automotive Connectors > Connector Accessories > EMC Shielding



Shielding Accessory Type: **Shield**

Ferrule Material: **Copper Alloy**

Connector System: **Wire-to-Wire**

Sealable: **No**

Operating Temperature Range: **-40 – 125 °C**

Features

Product Type Features

Shielding Accessory Type	Shield
Connector System	Wire-to-Wire
Sealable	No

Contact Features

Ferrule Material	Copper Alloy
------------------	--------------

Usage Conditions

Operating Temperature Range	-40 – 125 °C
-----------------------------	--------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUL 2021 (219)



Candidate List Declared Against: JUL 2021
(219)
Does not contain REACH SVHC

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 2355146-1
3POS,IPT,RING TONGUE HSG ASSY, SLD



TE Part # 2355146-2
3POS,IPT,RING TONGUE HSG ASSY, SLD



TE Part # 2371017-1
2POS,IPT,RING TONGUE HSG ASSY, SLD



TE Part # 2371017-2
2POS,IPT,RING TONGUE HSG ASSY, SLD





TE Part # 2371019-1
1POS,IPT,RING TONGUE HSG ASSY, SLD



TE Part # 2371019-2
1POS,IPT,RING TONGUE HSG ASSY, SLD

Customers Also Bought



 TE Part #1-2141154-2 2POS,8MM HV,REC HSG,90DEG,ASSY, SEALED	 TE Part #1-2177053-2 2POS,8MM HV,PLUG HSG,ASSY, SEALED	 TE Part #1719826-7 SINGLE WIRE SEAL,8MM HV	 TE Part #2141155-1 PROTEC. COVER 8MM HV,90DEG
 TE Part #9-2141157-2 SHIELD CRIMP FERRULE,90DEG	 TE Part #2141156-1 SWS,8MM HV,WHT,50 SQMM	 TE Part #2141211-2 8MM HV,TERMINAL,F-CRIMP	 TE Part #2141159-1 FINGER PROT CAP 8MM HV,90DEG
 TE Part #2141155-2 PROTEC. COVER 8MM HV,90DEG	 TE Part #2141156-2 SWS,8MM HV,WHT,35 SQMM		

Documents

Product Drawings
SLEEVE,IPT 3P SHIELDING

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2355150-4_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2355150-4_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2355150-4_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications



Application Specification

English