

#### LTE MiMo

TE Internal #: 2332157-3

LTE MiMo, Antenna, LTE / Wi-Fi / GSM, Vehicle Rooftop, Adhesive,

Cable Assembly, SMA Plug, Cable Length 11.811 in [300 mm]

View on TE.com >



#### Antennas > SHARK FIN MIMO ANTENNA









Wireless Application: Cellular, GNSS, GPS, GSM, LTE, Wi-Fi, WLAN

Mounts To: Vehicle Rooftop

Mounting Retention Type: Adhesive

Antenna Connection Type: Cable Assembly

Antenna Connector Type: SMA Plug

## All SHARK FIN MIMO ANTENNA (4)

## **Features**

## **Product Type Features**

Antenna Connection Type	Cable Assembly
Antenna Connector Type	SMA Plug

## **Configuration Features**

Band Type	6 band
Antenna Protocol	GNSS, GPS, Galileo, LTE MIMO, Wi-Fi
Number of Ports	6
Antenna Style	External
Antenna Type	Enclosure

### **Electrical Characteristics**

VSWR (Max)	<2:1
Impedance	50 Ω
Active Antenna	Yes

## Signal Characteristics

Frequency Band	1562 – 1612 MHz, 1710 – 2170 MHz, 2300 – 2700 MHz, 2300 – 3800 MHz, 4900 – 6000 MHz, 698 – 960 MHz
Gain (Max)	5 dB



## **Body Features**

Product Weight	260 g[9.17 oz]
Mechanical Attachment	
Region	Global
Polarization	Right Hand Circular
Mounts To	Vehicle Rooftop
Mounting Retention Type	Adhesive
Dimensions	
Cable Insulation Diameter (Max)	2.8 mm[.11 in]
Cable Length	300 mm[11.811 in]
Product Length	170 mm[6.77 in]
Product Width	60 mm[2.4 in]
Product Height	50 mm[2.2 in]
Usage Conditions	
Application by Region	GPS - Global - 1565 – 1585 MHz, LTE - Global - 1920 – 2170 MHz, WLAN - Global - 2400 – 2483.5 MHz, WLAN - Global - 4900 – 5875 MHz
Operation/Application	
Antenna Environment	Outdoor
Coverage Type	Omnidirectional
Industry Standards	
Wireless Application	Cellular, GNSS, GPS, GSM, LTE, Wi-Fi, WLAN
Packaging Features	

## **Product Compliance**

Packaging Method

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUL 2021 (219)

Bag & Box



Candidate List Declared Against: JUL 2021 (219)

SVHC > Threshold:

Pb (3% in Component Part)

Article Safe Usage Statements:

Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**
























## Also in the Series | LTE MiMo



# Customers Also Bought













## **Documents**

**Product Drawings** 

SHARK FIN MIMO 2/3/4G GPS 2X2WIFI

English

Datasheets & Catalog Pages

MIMO COAX GPS/GNSS 2G/3G/4G WLAN SHARKFIN ANT

English

LTE MiMo, Antenna, LTE / Wi-Fi / GSM, Vehicle Rooftop, Adhesive, Cable Assembly, SMA Plug, Cable Length 11.811 in [300 mm]



### **MULTI FUNCTION MIMO ANTENNA**

English