# BAT-HLD-002-THM ACTIVE

TE Internal #: BAT-HLD-002-THM
Battery Holders, CR2016, 1 Position, Horizontal, Nickel, PCB Mount
Alignment, Power, -4 – 140 °F [-20 – 60 °C]

View on TE.com >



Connectors > PCB Connectors > Battery Connectors & Holders > Battery Holders



Battery Compatibility: CR2016

Number of Positions: 1

PCB Mount Orientation: Horizontal

Contact Mating Area Plating Material: Nickel

PCB Mount Alignment: With

#### **Features**

#### **Product Type Features**

Connector System	Board-to-Component
Connector & Contact Terminates To	Printed Circuit Board
Configuration Features	
Number of Positions	1
PCB Mount Orientation	Horizontal
Body Features	

Battery Holder Material	Phosphor Bronze
Battery Holder Type	Coin Cell
Battery Weight	1.7 g
Primary Product Color	Silver
Battery Compatibility	CR2016

#### **Contact Features**

Contact Mating Area Plating Material	Nickel
--------------------------------------	--------

#### Mechanical Attachment

PCB Mount Alignment Type	Retention Solder Tails
Connector Mounting Type	Board Mount
PCB Mount Alignment	With

#### **Usage Conditions**



Operating Temperature Range	-20 - 60 °C[-4 - 140 °F]
Operation/Application	
Circuit Application	Power
Packaging Features	
Packaging Quantity	500

#### **Product Compliance**

For compliance documentation, visit the product page on TE.com>


EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Not Yet Reviewed
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

## Compatible Parts









## Customers Also Bought



### **Documents**

#### **Product Drawings**

Battery Holder 2016 THM Bulk Pack

English

#### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_BAT-HLD-002-THM\_B.3d\_stp.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_BAT-HLD-002-THM\_B.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_BAT-HLD-002-THM\_B.3d\_igs.zip

English

By downloading the CAD file I accept and agree to the  $\pmb{\mathsf{Terms}}$  and  $\pmb{\mathsf{Conditions}}$  of use.

#### Datasheets & Catalog Pages

BATTERY HOLDER OUTLINE CR2016, THROUGH HOLE MOUNT

English