



Connectors > Automotive Connectors > Automotive Connector Accessories > Automotive Connector Caps & Covers



Protection & Strain Relief Accessory Type: **Cover**

Strain Relief: **Without**

Primary Product Color: **Orange**

Primary Product Material: **PA6 GF**

Operating Temperature (Max): **125 °C [257 °F]**

Features

Product Type Features

Protection & Strain Relief Accessory Type	Cover
---	-------

Body Features

Primary Product Color	Orange
Primary Product Material	PA6 GF

Mechanical Attachment

Strain Relief	Without
---------------	---------

Usage Conditions

Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold



EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JAN 2024 (240)
Candidate List Declared Against: JAN 2024 (240)
Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE’s information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) ‘Guidance on requirements for substances in articles’(Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of ‘complex object’, the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA “Guidance on requirements for substances in articles” (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



TE Part # 2401592-2
2POS,21MM,CABLE COVER

Customers Also Bought




TE Part #5-1418760-3
MCON 1.2 LL TAB STC AG



TE Part #1-2325010-1
3POS,8MM HV,REC HSG,90 DEG, ASSY,SLD




TE Part #1-2403751-3
CU ALLOY,OUTER FERRULE,70MM2 SN PLATED



TE Part #2310540-1
HVA280 2P HEADER ASSY, KEY A





TE Part #2312311-3
V23717B0002A200-SZ-CBOX



TE Part #2334366-3
32POS, HYBRID, HDR ASSY, 90DEG, SLDR



TE Part #2371035-1
3POS, DIA 4MM, SOC HSG ASSY, SLD, COD A



TE Part #2371113-1
3POS, DIA 4MM, PIN HSG ASSY, SLD, COD A



TE Part #2371242-3
CU ALLOY, INNER FERRULE, ICT CVE



TE Part #2400242-1
CSJ18 180DEG USW, TERMINAL ASS

Documents

Product Drawings

REC CONN CVR,2POS,PCON18,180DEG,70SQMM

English

CAD Files

Customer View Model

ENG_CVM_CVM_2403754-3_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2403754-3_A.3d_stp.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2403754-3_A.2d_dxf.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English