
# H103110050C-000 - ACTIVE

TE Internal #: H103110050C-000 1 Position Circular Power Connector, Connector Assembly, 1500 VDC, 95 mm<sup>2</sup> Wire, Bus Bar-to-Wire, Sealable, Bus Bar, Receptacle, Receptacle, Power

## View on TE.com >



Connectors > Power Connectors > Circular Power > Circular Power Connectors > Efficient Integration: HPC 350A Connector for BESS Applications



Number of Positions: 1

Connector Product Type: Connector Assembly

Operating Voltage: 1500 VDC

Wire Size: 95 mm<sup>2</sup>

Connector System: Bus Bar-to-Wire

All Efficient Integration: HPC 350A Connector for BESS Applications (12)

# Features

# Product Type Features

Assembly Requirement	Factory Assembled
Connector Product Type	Connector Assembly
Connector System	Bus Bar-to-Wire
Sealable	Yes
Connector & Contact Terminates To	Bus Bar
Connector & Housing Type	Receptacle
Circular Connector Shell Type	All Plastic
Configuration Features	
Number of Positions	1
Number of Power Positions	1
Number of Signal Positions	0
Electrical Characteristics	
Operating Voltage	1500 VAC

# H103110050C-000

1 Position Circular Power Connector, Connector Assembly, 1500 VDC, 95 mm² Wire, Bus Bar-to-Wire, Sealable, Bus Bar, Receptacle, Receptacle, Power



# Dimensions

Wire Size	95 mm <sup>2</sup>
Contact Features	
Contact Type	Receptacle
Contact Current Rating (Max)	350 A
Contact Protection	With
Mechanical Attachment	
Connector Mounting Type	Panel Mount
Housing Features	
Housing Color	Orange
Housing Material	66 Nylon (GF)
Usage Conditions	
Operating Temperature Range	-40 - 125 °C[-40 - 257 °F]
Operation/Application	
Circuit Application	Power
Shielded	No
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Method	Box & Tray
Other	
EU RoHS Compliance	Compliant
	Compliant

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Not Yet Reviewed

# H103110050C-000

1 Position Circular Power Connector, Connector Assembly, 1500 VDC, 95 mm<sup>2</sup> Wire, Bus Bar-to-Wire, Sealable, Bus Bar, Receptacle, Receptacle, Power



Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not reviewed for solder process capability

### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

# **Compatible Parts**



# Documents

# Product Drawings

HPC-350-M-R-OR-01-A-S

English

# **CAD** Files

Customer View Model ENG\_CVM\_CVM\_H103110050C-000\_A1.3d\_stp.zip

English

## 3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_H103110050C-000\_A1.2d\_dxf.zip

English

Customer View Model

**C** For support call+1 800 522 6752

# H103110050C-000

1 Position Circular Power Connector, Connector Assembly, 1500 VDC, 95 mm<sup>2</sup> Wire, Bus Bar-to-Wire, Sealable, Bus Bar, Receptacle, Receptacle, Power



# ENG\_CVM\_CVM\_H103110050C-000\_A1.3d\_igs.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

HPC 350A BESS Connector

English

HPC 350A BESS Connector

Product Specifications

**Application Specification** 

English

Application Specification

Agency Approvals

UL

English