TMS-SCE-1K-1/8-2.0-5 ✓ ACTIVE

TMS-SCE

TE Internal #: 4247150001

Green, Military, Ladder, Recovered ID 1.07 mm [.042 in], 3:1, 1

Markers per Sleeve, 12.7 mm [.5 in] Length, 3.18 mm [.125 in]

Expanded Inside, TMS-SCE

View on TE.com >



Identification & Labeling > Printable Tubing > TMS-SCE Military Grade Sleeves



Printable Tubing Type: Ladder
Printable Tubing Grade: Military

Shrink Ratio: 3:1

Primary Product Color: Green

Markers per Sleeve: 1

All TMS-SCE Military Grade Sleeves (147)

Features

Product Type Features

Printable Tubing Type	Ladder
Printable Tubing Grade	Military
Body Features	
Shrink Ratio	3:1
Primary Product Color	Green
Markers per Sleeve	1
Dimensions	
Product Length	12.7 mm[.5 in]
Expanded Inside Diameter (Min)	3.18 mm[.125 in]
Recovered Inside Diameter (Max)	1.07 mm[.042 in]
Compatible Cable Diameter Range	1.11 – 2.66 mm[.044 – .105 in]
Usage Conditions	
Operating Temperature Range	-55 – 135 °C[-67 – 275 °F]

Thermal Transfer

Printer/Label Features

Printer Technology



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts









Also in the Series | TMS-SCE






Customers Also Bought



TE Part #5039274019 DR-25-1/4-0-SP



TE Part #7474490001 TMS-SCE-1K-1/4-2.0-9



TE Part #YW316TF13-41SN0000 WILDCAT PLUG ASSEMBLY.



TE Part #557721-000 TMS-RJS-RIBBON-4RPSCE




R-FLEX CPLG ADP RVIT/RVDT/RSYN



983-0RS 08-98 PN



RVDT R30D +/- 40 DEGREE



TE Part #101273-000 S03-07-R



TE Part #2-1617805-8 TD229-1001P=TDFR 1 SEC M83726/29-1001P



Documents

Product Drawings TMS-SCE-1K-1/8-2.0-5

English

Datasheets & Catalog Pages

TMS-SCE Heat Shrinkable Sleeves

English

Cable Identification Product Shelf Life

English

Green, Military, Ladder, Recovered ID 1.07 mm [.042 in], 3:1, 1 Markers per Sleeve, 12.7 mm [.5 in] Length, 3.18 mm [.125 in] Expanded Inside, TMS-SCE



Product Specifications

Product Specification

English

IDENTIFCATION PRINTER PRODUCT RIBBON MATRIX

English

Instruction Sheets

Instruction Sheet (non U.S.)

English