



Automotive Parts > Automotive Connector Accessories > Other Automotive Connector Accessories



Primary Product Color: **Natural**
Primary Product Material: **PA GF**
Automotive Connector Accessory Type: **Clip**
Operating Temperature Range: **-40 – 140 °C [-40 – 284 °F]**

Features

Product Type Features

Automotive Connector Accessory Type	Clip
-------------------------------------	------

Body Features

Primary Product Color	Natural
Primary Product Material	PA GF

Usage Conditions

Operating Temperature Range	-40 – 140 °C[-40 – 284 °F]
-----------------------------	----------------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC



Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # 2375591-2
OCEAN-2.0-APPLICATOR-S-130F-RSA




TE Part # 2392519-1
3POS,DIA 4MM,SOC OUTER HSG ASSY

Also in the Series | HVA HD400



Automotive Connector EMC Shielding (11)



Automotive Housings(46)



Automotive Seals & Cavity Plugs(7)




Other Automotive Connector Accessories(18)

Customers Also Bought



TE Part #2392554-2
CU ALLOY, OUTER FERRULE, ICT CVE



TE Part #2392556-3
SWS, DIA 4MM, ICT CVE




TE Part #2392559-3
SOC CONN CVR, 3POS, DIA 4MM, ICT CVE



TE Part #2392560-3
SPACER, DIA 4MM, CVE40, MULTI CORE PLUG



TE Part #1-2392563-1
3POS, SOC INNER HSG, DIA 4MM, COD A, CVE



TE Part #1-2392563-2
3POS, SOC INNER HSG, DIA 4MM, COD A, CVE



TE Part #1-2392563-3
3POS, SOC INNER HSG, DIA 4MM, COD A, CVE



TE Part #2392564-1
3POS, SOC INNER HSG, DIA 4MM, COD A, CVE



TE Part #CAT-AQ4-HFFTH1000
PowerTube HVP-HD 1000 Plug Pre-Assemblies

Documents

Product Drawings

SOC CONN CVR, 3POS, DIA 4MM, ICT CVE

English

CAD Files

Customer View Model

ENG_CVM_CVM_2392558-3_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2392558-3_A.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_2392558-3_A.2d_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages



HIVONEX CONNECTORS & CHARGING SOLUTIONS

English

Product Specifications

Application Specification

English