HT-SCE-3/16-2.0-9 ✔ ACTIVE

TE Internal #: 3206430001

Printable Tubing, Ladder Tubing Type, High Temperature Tubing Grade, 2:1 Printable Tubing Shrink Ratio, White, Markers per Sleeve 1

View on TE.com >

Identification & Labeling > Printable Tubing > HT-SCE HIGH TEMPERATURE SLEEVES



Tubing Type: **Ladder**

Tubing Grade: **High Temperature**

Printable Tubing Shrink Ratio: **2:1**

Color: **White**

Markers per Sleeve: **1**

All HT-SCE HIGH TEMPERATURE SLEEVES (55)

Features

Product Type Features

Tubing Type	Ladder
Tubing Grade	High Temperature

Body Features

Printable Tubing Shrink Ratio	2:1
Color	White
Markers per Sleeve	1

Dimensions

Sleeve Length	50 mm[2 in]
Supplied Diameter	4.8 mm[.187 in]
Recovered Inside Diameter	2.3 mm[.093 in]
Compatible Cable Diameter	2.5 – 4. mm[.1 – .16 in]

Usage Conditions

Operating Temperature Range	-55 – 225 °C[-67 – 437 °F]

Operation/Application

Recommended Ribbon	See Printer Ribbon Matrix

Printer/Label Features

Recommended Printer	See Printer Ribbon Matrix
Printer Technology	Thermal Transfer

Packaging Features

Packaging Quantity	250

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUN 2020 (209) Candidate List Declared Against: JUN 2020 (209) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 1-2186500-1
T3212-PRINTER



TE Part # 1-2186502-1
T3224-PRINTER




TE Part # 1-2186501-1
T3212-SWARE-PRINTER



TE Part # CP8122-000
T6112DS-PRINTER



TE Part # 1-2186503-1
T3224-SWARE-PRINTER



TE Part # 754073-000
TMS-RJS-RIBBON-4HT

Customers Also Bought




TE Part #1577639-1
TERMINAL RT PIDG PEEK STRATO 14-12 AWG



TE Part #154739-000
T300-RIBBON-WH-4HT



TE Part #151441
TERMINAL PIDG RING TONGUE 22 AWG BLACK



TE Part #328856
WIRE CAP,TFL .052-.056



TE Part #4108170001
HT-SCE HIGH TEMPERATURE SLEEVES




TE Part #YACT26JE26SNV00100
STRAIGHT PLUG




TE Part #2161263003
55A0111-12-2



TE Part #216787-000
SO96-3-55-22-90



TE Part #370666-000
TTMS-9.5-0



TE Part #348788-000
TTMS-19.0-0

Documents

Product Drawings

HT-SCE-3/16-2.0-9

English

Datasheets & Catalog Pages

HT-SCE Heat Shrinkable Sleeves

English

IDENTIFICATION SELECTION GUIDE

English

Product Specifications

Product Specification

English

IDENTIFCATION PRINTER PRODUCT RIBBON MATRIX

English

Instruction Sheets

Instruction Sheet (non U.S.)

English