



25-Jan-2014

**PCN #:**P-14-009875

**Subject:**Ampseal 16 - 12 position Plug and Cap Assemblies

**Description of Change:** The wire exit covers for only the 12 position plug and cap will have the wire exit hole size increased from 4.00 mm to 4.10 mm. Also, a small 0.20 mm radius will be added to all the holes.

**Reason:** Product improvement. The purpose for this change is to allow for 12 AWG GXL wire (nominal insulation diameter of 3.81 mm or smaller) to be used and installed with our newly released 12 AWG pin and socket contacts.

**Impact of Change:**form - fit - function

**Key Dates:**

**Contact By Date:**01-Mar-2014

**Implementation Date:**01-Mar-2014

**Product Affected**

776533-4

776539-4

776539-1

776437-2

776437-1

776438-4

776438-2

776539-2

776533-3

776438-1

776533-1

776539-3

776437-3

**Product Affected**

776533-2

776437-4

776438-3

The dates on the product change notification (PCN) are best estimate dates determined at the time of issuance. Actual implementation dates may vary from such dates.

The change described in the PCN can be withdrawn, without notice, for any or all of the products identified on the PCN.

TE Connectivity corporate policy is for PCNs to be valid for 60 days and obsolescence notices to be valid for 180 days after date of issue.

For confirmation or additional information on the change, please contact the TE Connectivity Product Information Center at 800-522-6752 or your TE Connectivity Sales Representative.