

www.vishay.com

Vishay Spectrol

# Full 360° Smart Sensor (Hall Effect Technology)



QUICK REFERENCE DATA		
Sensor type	ROTATIONAL, single turn hall effect	
Output type	Output by pins (connector)	
Market appliance	Industrial	
Dimensions	33 mm x 44 mm x 20 mm	

#### **FEATURES**

 Absolute ratiometric output over 360° range with no dead band



Self-contained package not requiring external electronic interface

- Contactless technology
- · Reverse polarity protection
- Non volatile positioning output
- Material categorization: For definitions of compliance please see <a href="https://www.vishay.com/doc?99912"><u>www.vishay.com/doc?99912</u></a>

The model 601-HE represents a new generation of smart sensors in contactless technology based on the hall effect principle. This unique electronic device is a self-contained package which provides an analog electrical output over a full 360° without the need of external electronics. The low power consumption and non-volatile output makes this universal sensor the real cost-effective alternative to encoders.

STANDARD ELECTRICAL SPECIFICATIONS		
PARAMETER		
Supply	4.5 V <sub>DC</sub> to 5.5 V <sub>DC</sub>	
Supply current	16 mA max.	
Over voltage protection	10 V	
Independent linearity	± 1 %	
Electrical track	360° continuous	
Analog voltage output	5 % to 95 % of supply (ratiometric) CW or CCW see graphs on next page	
Output ramp slope	Electrically switchable - see graphs	
Temperature coefficient	V <sub>out</sub> /ΔT 125 μV/°C typ.	
Hysteresis static	0.8° max.	

MECHANICAL SPECIFICATIONS	
Rotation	360° continuous
Rotational speed (max.)	120 RPM
Operating torque max.	0.25 ozin (18 g-cm)
Weight	30 g

ENVIRONMENTAL SPECIFICATIONS	
Operating life	5 000 000 Cycles
Operating temperature range	- 45 °C to + 85 °C
Storage temperature range	- 45 °C to + 85 °C
Sealing	IP54


ORDERING INFORMATION/DESCRIPTION					
601 HE		0000		BO1	e4
MODEL	CONFIGURATION CODE		PACKAGING	LEAD FINISH	
	Product Number	Ø 1.57 PIN	Ø 3.18 PIN	Box of 1 piece	
	0000	Yes	Yes		
	0001	Yes	-		
	0002	-	Yes		
	0003	-	-		


SAP PART NUMBERING GUIDELINES			
601 HE	0001	B01	
MODEL	PIN CONFIGURATION	PACKAGING	






#### **DIMENSIONS** in millimeters





PRODUCT NO. DATE CODE AND TERMINAL I.D. LABEL


MATERIAL SPECIFICATIONS		
Housing	Plastic	
Bushing	Brass, nickel plated	
Shaft	Stainless steel	
Pin terminal connector	Gold plated	
Output connection	Pin header to suit IDC connectors. e.g. Panduit C100 - F22 and Molex 7880	
Bushing mount hardware lock washer, internal tooth	Steel, nickel plated	
Panel nut	Brass, nickel plated	




PIN	CONNECTIONS	FUNCTION	
1	+ 5 V	Supply	
2	0 V	3 Зирріу	
3	Output	O/P voltage	
4	Direction	Connected to 0 V: CCW Open circuit or connected to 5 V: CW	



CABLE ASSEMBLY FOR CONNECTION		
Part number	601-1056-0000	
Description	Molex KK	
	4-way crimp connector	
	4 wire (250 mm)	



MODEL: 601 HE when pin 4 connected to 5 V or open circuit



MODEL: 601 HE when pin 4 connected to 0 V



## **Legal Disclaimer Notice**

Vishay

### **Disclaimer**

ALL PRODUCT, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE TO IMPROVE RELIABILITY, FUNCTION OR DESIGN OR OTHERWISE.

Vishay Intertechnology, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Vishay"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any datasheet or in any other disclosure relating to any product.

Vishay makes no warranty, representation or guarantee regarding the suitability of the products for any particular purpose or the continuing production of any product. To the maximum extent permitted by applicable law, Vishay disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.

Statements regarding the suitability of products for certain types of applications are based on Vishay's knowledge of typical requirements that are often placed on Vishay products in generic applications. Such statements are not binding statements about the suitability of products for a particular application. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. Parameters provided in datasheets and/or specifications may vary in different applications and performance may vary over time. All operating parameters, including typical parameters, must be validated for each customer application by the customer's technical experts. Product specifications do not expand or otherwise modify Vishay's terms and conditions of purchase, including but not limited to the warranty expressed therein.

Except as expressly indicated in writing, Vishay products are not designed for use in medical, life-saving, or life-sustaining applications or for any other application in which the failure of the Vishay product could result in personal injury or death. Customers using or selling Vishay products not expressly indicated for use in such applications do so at their own risk. Please contact authorized Vishay personnel to obtain written terms and conditions regarding products designed for such applications.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Vishay. Product names and markings noted herein may be trademarks of their respective owners.

## **Material Category Policy**

Vishay Intertechnology, Inc. hereby certifies that all its products that are identified as RoHS-Compliant fulfill the definitions and restrictions defined under Directive 2011/65/EU of The European Parliament and of the Council of June 8, 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment (EEE) - recast, unless otherwise specified as non-compliant.

Please note that some Vishay documentation may still make reference to RoHS Directive 2002/95/EC. We confirm that all the products identified as being compliant to Directive 2002/95/EC conform to Directive 2011/65/EU.

Vishay Intertechnology, Inc. hereby certifies that all its products that are identified as Halogen-Free follow Halogen-Free requirements as per JEDEC JS709A standards. Please note that some Vishay documentation may still make reference to the IEC 61249-2-21 definition. We confirm that all the products identified as being compliant to IEC 61249-2-21 conform to JEDEC JS709A standards.

Revision: 02-Oct-12 Document Number: 91000