Product catalogue ▶ Product wizard | ▶ Help





Quick access

BLZ 5.08/270B

Online Catalogue » Device connectivity - OMNIMATE » PCB connectors - OMNIMATE Signal » Pitch 5.08 mm (0.200 inch) -Series BL/SL 5.08 » Female plugs - clamping yoke screw connection » BLZ 5.08/90/270 » BLZ 5.08/270B

Device connectivity - OMNIMATE PCB connectors - OMNIMATE Signal Pitch 5.08 mm (0.200 inch) - Series E Female plugs - clamping yoke screw BLZ 5.08/90/270

■ BLZ 5.08/03/270B SN OR BX Do not use product for new developments











OMNIMATE® sample service

More information



OMNIMATE	component
libraries	

Complete component libraries for your PCB design software

More information

General ordering data	•		
Delivery status	This article will no longer be available in the future.		
Available until	2017-12-31		
Alternative product	1950320000		
Туре	BLZ 5.08/03/270B SN OR BX		
Order No.	1559760000		
Version	PCB plug-in connector, female plug, 5.08 mm, No. of poles: 3, 270°, Clamping yoke connection, Clamping range, rated connection, max.: 3.31 mm², Box		
GTIN (EAN)	4008190083731		
Qty.	108 pc(s).		
Product data	IEC: 400 V / 15 A / 0.2 - 2.5 mm² UL: 300 V / 10 A / AWG 26 - AWG 12		
Packaging	Вох		
Dimensions and weights)		
System parameters	>		
Material data	>		
Conductors suitable for connection	>		
Rated data acc. to IEC	>		
Rated data acc. to CSA)		
Rated data acc. to UL 1059)		
Downloads)		

Add to inquiry list PDF data sheet Noduct configurator CAD model Accessories Related products Print view ? Help





Follow us on:







♣ Print page ☑ Error message

Copyright Weidmüller Interface GmbH & Co. KG | Legal information | Privacy

Products Klippon® Connect terminal blocks Device connectivity - OMNIMATE Tools Heavy-duty connectors Electronics

Electronics housing - OMNIMATE housing

Products

Identification systems Sensor-Actuator Interface (SAI) Active industrial Ethernet Passive Industrial Ethernet

Products

Enclosure systems Application-specific solutions Remote I/O - u-remote Contactless transmission

Support & Service

Download-Feeds CAE data OMNIMATE® sample service Contact

Weidmüller Interface GmbH & Co. KG Klingenbergstraße 16 D-32758 Detmold

E-mail: info@weidmueller.de Fon: +49 5231 14-0 Fax: +49 5231 14-2083