

TTI, Inc.
Einkauf Elektrotechnik
Ganghoferstraße 34
82216 Maisach-Gernlinden

Weidmüller GmbH & Co. KG
Ohmstraße 9
D-32758 Detmold
T +49 (0) 52 31 14 28-0
F +49 (0) 52 31 14 28-116
weidmueller@weidmueller.de

Anita Breuer
T +49 (0) 52 31 14 28-285
F +49 (0) 52 31 14 28-116
Anita.Breuer@weidmueller.de

By email to: PCN@TTIINC.COM / horst.labesius@de.ttiinc.com

Detmold, 09.08.2016

Seite 1 von 1

Kd.-Nr. 0000059292

Technical Modification

Dear Sir or Madam,

as an innovative company, we continuously strive to achieve improvements and search for ways to further develop our products for you.

With new, tailored products and solutions, integrated into a wide range of applications, we seek to create optimum added value for your processes, now and in the future.

Today we are pleased to send you a current Technical Notice, containing all the important information regarding further product development.

For Weidmüller creating connections doesn't just mean finding new product solutions. It also means establishing personal relationships.


We would be happy to discuss the developments with you directly. Just give us a call.

Our Sales Engineer Herr Berndt van Nüss, Rufnummer +49 172 5201366 will be delighted to give you all the information you need.


Let's connect.

Kind regards,

Weidmüller GmbH & Co. KG

i.V. 

Matthias Schwarzkopf
Head of Customer Service

i.A. 

Dirk Kaufmann
Head of Support Management

Kommanditgesellschaft

Sitz: Detmold
Registergericht Lemgo HRA 4183
USt-ID-Nr. DE124589901
WEEE-Reg.-Nr. DE73937473

Komplementärin:
Weidmüller Führungs GmbH
Sitz: Detmold
Registergericht Lemgo HRB 5717
Geschäftsführer:
José Carlos Álvarez Tobar
Arnold Büscher

Bankverbindungen:

Commerzbank AG
Kto.-Nr. 283 288 400 (BLZ 480 800 20)

Deutsche Bank
Kto.-Nr. 4 374 922 (BLZ 476 700 23)

Postgiro Hannover
Kto.-Nr. 88944-301 (BLZ 250 100 30)

Appendix

OMNIMATE SIGNAL connectors
series SL-SMT 3.50/./180F|LF.. und SL-SMT 3.50/./90F|LF
Sorted packaging – Step4

Due to key advantages and positive experience with other product series, the above mentioned products will also be changed to sorted packaging.


Change:

The new type of packaging contains tray inserts, which in turn are inserted in Weidmüller printed cardboards.


Benefits of sorted packaging:

- Avoidance of damage during transportation and ensure a high quality lever
- Standardized packaging size (HxWxL: 19x133x340mm) and thereby easier handling
- The change will be done step by step. Please find detailed information of new packaging units in the spreadsheet
- During determining of new packaging unit the capacity of the tray insert is decisive
- Order-No. and price per 100pcs. won't be changed
- The changeover should be completed by week 34/2016

New packaging:



New packaging with tray



Effected products

- SL- 3.50/./180LF..
- SL- 3.50/./180F..
- SL- 3.50/./90LF..
- SL- 3.50/./90F..

SL-SMT 3.50/./180F LF.. & SL-SMT 3.50/./90F LF			
# of poles	old packaging unit	new packaging unit	
2	100	132	
3	100	102	
4	100	84	
5	50	72	
6	50	66	
7	50	54	
8	50	48	
9	50	48	
10	50	42	
11	50	36	
12	50	36	
13	50	30	
14	50	30	
15	50	30	
16	50	24	
17	20	24	
18	20	24	
19	20	24	
20	20	24	
21	20	18	
22	20	18	
23	20	18	
24	20	18	

Order No	Part description	# of pole	OLD – Packaging unit	NEW – Packaging unit	Type
1804940000	SL-SMT 3.50/02/90LF 1.5SN BK BX	2	100	132	90LF
1841860000	SL-SMT 3.50/02/90LF 3.2SN BK BX	2	100	132	90LF
1804950000	SL-SMT 3.50/03/90LF 1.5SN BK BX	3	100	102	90LF
1841870000	SL-SMT 3.50/03/90LF 3.2SN BK BX	3	100	102	90LF
1804960000	SL-SMT 3.50/04/90LF 1.5SN BK BX	4	100	84	90LF
1841880000	SL-SMT 3.50/04/90LF 3.2SN BK BX	4	100	84	90LF
1804970000	SL-SMT 3.50/05/90LF 1.5SN BK BX	5	50	72	90LF
1841890000	SL-SMT 3.50/05/90LF 3.2SN BK BX	5	50	72	90LF
1804980000	SL-SMT 3.50/06/90LF 1.5SN BK BX	6	50	66	90LF
1841900000	SL-SMT 3.50/06/90LF 3.2SN BK BX	6	50	66	90LF
1804990000	SL-SMT 3.50/07/90LF 1.5SN BK BX	7	50	54	90LF
1841910000	SL-SMT 3.50/07/90LF 3.2SN BK BX	7	50	54	90LF
1805000000	SL-SMT 3.50/08/90LF 1.5SN BK BX	8	50	48	90LF
1841920000	SL-SMT 3.50/08/90LF 3.2SN BK BX	8	50	48	90LF
1805010000	SL-SMT 3.50/09/90LF 1.5SN BK BX	9	50	48	90LF
1841930000	SL-SMT 3.50/09/90LF 3.2SN BK BX	9	50	48	90LF
1027420000	SL-SMT 3.50/10/90LF 3.2AU BK BX	10	50	42	90LF
1805020000	SL-SMT 3.50/10/90LF 1.5SN BK BX	10	50	42	90LF
1841940000	SL-SMT 3.50/10/90LF 3.2SN BK BX	10	50	42	90LF
1841950000	SL-SMT 3.50/11/90LF 3.2SN BK BX	11	50	36	90LF
1804340000	SL-SMT 3.50/12/90LF 3.2SN BK BX	12	50	36	90LF
1805040000	SL-SMT 3.50/12/90LF 1.5SN BK BX	12	50	36	90LF
1841960000	SL-SMT 3.50/13/90LF 3.2SN BK BX	13	50	30	90LF
1841970000	SL-SMT 3.50/14/90LF 3.2SN BK BX	14	50	30	90LF
1805070000	SL-SMT 3.50/15/90LF 1.5SN BK BX	15	50	30	90LF
1841980000	SL-SMT 3.50/15/90LF 3.2SN BK BX	15	50	30	90LF
1805080000	SL-SMT 3.50/16/90LF 1.5SN BK BX	16	50	24	90LF
1841990000	SL-SMT 3.50/16/90LF 3.2SN BK BX	16	50	24	90LF
1842000000	SL-SMT 3.50/17/90LF 3.2SN BK BX	17	20	24	90LF
1842010000	SL-SMT 3.50/18/90LF 3.2SN BK BX	18	20	24	90LF
1842020000	SL-SMT 3.50/19/90LF 3.2SN BK BX	19	20	24	90LF
1805120000	SL-SMT 3.50/20/90LF 1.5SN BK BX	20	20	24	90LF
1842030000	SL-SMT 3.50/20/90LF 3.2SN BK BX	20	20	24	90LF
1842040000	SL-SMT 3.50/21/90LF 3.2SN BK BX	21	20	18	90LF
1842050000	SL-SMT 3.50/22/90LF 3.2SN BK BX	22	20	18	90LF

1842060000	SL-SMT 3.50/23/90LF 3.2SN BK BX	23	20	18	90LF
1805160000	SL-SMT 3.50/24/90LF 1.5SN BK BX	24	20	18	90LF
1842070000	SL-SMT 3.50/24/90LF 3.2SN BK BX	24	20	18	90LF
1762002001	SL-SMT 3.50/02/90F 1.5SN BK BX	2	100	132	90F
1842080000	SL-SMT 3.50/02/90F 3.2SN BK BX	2	100	132	90F
1842090000	SL-SMT 3.50/03/90F 3.2SN BK BX	3	100	102	90F
1762022001	SL-SMT 3.50/04/90F 1.5SN BK BX	4	100	84	90F
1842100000	SL-SMT 3.50/04/90F 3.2SN BK BX	4	100	84	90F
1454610000	SL-SMT 3.50/05/90F 3.2AU BK BX	5	50	72	90F
1762032001	SL-SMT 3.50/05/90F 1.5SN BK BX	5	50	72	90F
1842110000	SL-SMT 3.50/05/90F 3.2SN BK BX	5	50	72	90F
1842120000	SL-SMT 3.50/06/90F 3.2SN BK BX	6	50	66	90F
1842130000	SL-SMT 3.50/07/90F 3.2SN BK BX	7	50	54	90F
1842140000	SL-SMT 3.50/08/90F 3.2SN BK BX	8	50	48	90F
1842150000	SL-SMT 3.50/09/90F 3.2SN BK BX	9	50	48	90F
1762082001	SL-SMT 3.50/10/90F 1.5SN BK BX	10	50	42	90F
1842160000	SL-SMT 3.50/10/90F 3.2SN BK BX	10	50	42	90F
1842170000	SL-SMT 3.50/11/90F 3.2SN BK BX	11	50	36	90F
1842180000	SL-SMT 3.50/12/90F 3.2SN BK BX	12	50	36	90F
1842190000	SL-SMT 3.50/13/90F 3.2SN BK BX	13	50	30	90F
1842200000	SL-SMT 3.50/14/90F 3.2SN BK BX	14	50	30	90F
1842210000	SL-SMT 3.50/15/90F 3.2SN BK BX	15	50	30	90F
1842220000	SL-SMT 3.50/16/90F 3.2SN BK BX	16	50	24	90F
1842230000	SL-SMT 3.50/17/90F 3.2SN BK BX	17	20	24	90F
1842240000	SL-SMT 3.50/18/90F 3.2SN BK BX	18	20	24	90F
1842250000	SL-SMT 3.50/19/90F 3.2SN BK BX	19	20	24	90F
1842260000	SL-SMT 3.50/20/90F 3.2SN BK BX	20	20	24	90F
1842270000	SL-SMT 3.50/21/90F 3.2SN BK BX	21	20	18	90F
1842280000	SL-SMT 3.50/22/90F 3.2SN BK BX	22	20	18	90F
1842290000	SL-SMT 3.50/23/90F 3.2SN BK BX	23	20	18	90F
1842300000	SL-SMT 3.50/24/90F 3.2SN BK BX	24	20	18	90F
1804700000	SL-SMT 3.50/02/180LF 1.5SN BK BX	2	100	132	180LF
1842540000	SL-SMT 3.50/02/180LF 3.2SN BK BX	2	100	132	180LF
1804710000	SL-SMT 3.50/03/180LF 1.5SN BK BX	3	100	102	180LF
1842550000	SL-SMT 3.50/03/180LF 3.2SN BK BX	3	100	102	180LF
1804720000	SL-SMT 3.50/04/180LF 1.5SN BK BX	4	100	84	180LF
1842560000	SL-SMT 3.50/04/180LF 3.2SN BK BX	4	100	84	180LF
1804730000	SL-SMT 3.50/05/180LF 1.5SN BK BX	5	50	72	180LF

1842570000	SL-SMT 3.50/05/180LF 3.2SN BK BX	5	50	72	180LF
1804740000	SL-SMT 3.50/06/180LF 1.5SN BK BX	6	50	66	180LF
1842580000	SL-SMT 3.50/06/180LF 3.2SN BK BX	6	50	66	180LF
1842590000	SL-SMT 3.50/07/180LF 3.2SN BK BX	7	50	54	180LF
1804760000	SL-SMT 3.50/08/180LF 1.5SN BK BX	8	50	48	180LF
1842600000	SL-SMT 3.50/08/180LF 3.2SN BK BX	8	50	48	180LF
1804770000	SL-SMT 3.50/09/180LF 1.5SN BK BX	9	50	48	180LF
1842610000	SL-SMT 3.50/09/180LF 3.2SN BK BX	9	50	48	180LF
1804780000	SL-SMT 3.50/10/180LF 1.5SN BK BX	10	50	42	180LF
1842620000	SL-SMT 3.50/10/180LF 3.2SN BK BX	10	50	42	180LF
1842630000	SL-SMT 3.50/11/180LF 3.2SN BK BX	11	50	36	180LF
1804800000	SL-SMT 3.50/12/180LF 1.5SN BK BX	12	50	36	180LF
1842640000	SL-SMT 3.50/12/180LF 3.2SN BK BX	12	50	36	180LF
1804810000	SL-SMT 3.50/13/180LF 1.5SN BK BX	13	50	30	180LF
1842650000	SL-SMT 3.50/13/180LF 3.2SN BK BX	13	50	30	180LF
1842660000	SL-SMT 3.50/14/180LF 3.2SN BK BX	14	50	30	180LF
1842670000	SL-SMT 3.50/15/180LF 3.2SN BK BX	15	50	30	180LF
1804840000	SL-SMT 3.50/16/180LF 1.5SN BK BX	16	50	24	180LF
1842680000	SL-SMT 3.50/16/180LF 3.2SN BK BX	16	50	24	180LF
1842690000	SL-SMT 3.50/17/180LF 3.2SN BK BX	17	20	24	180LF
1804860000	SL-SMT 3.50/18/180LF 1.5SN BK BX	18	20	24	180LF
1842700000	SL-SMT 3.50/18/180LF 3.2SN BK BX	18	20	24	180LF
1842710000	SL-SMT 3.50/19/180LF 3.2SN BK BX	19	20	24	180LF
1842720000	SL-SMT 3.50/20/180LF 3.2SN BK BX	20	20	24	180LF
1842730000	SL-SMT 3.50/21/180LF 3.2SN BK BX	21	20	18	180LF
1842740000	SL-SMT 3.50/22/180LF 3.2SN BK BX	22	20	18	180LF
1842750000	SL-SMT 3.50/23/180LF 3.2SN BK BX	23	20	18	180LF
1804930000	SL-SMT 3.50/24/180LF 1.5SN BK BX	24	20	18	180LF
1842760000	SL-SMT 3.50/24/180LF 3.2SN BK BX	24	20	18	180LF
1760962001	SL-SMT 3.50/02/180F 1.5SN BK BX	2	100	132	180F
1842770000	SL-SMT 3.50/02/180F 3.2SN BK BX	2	100	132	180F
1760972001	SL-SMT 3.50/03/180F 1.5SN BK BX	3	100	102	180F
1842780000	SL-SMT 3.50/03/180F 3.2SN BK BX	3	100	102	180F
1760982001	SL-SMT 3.50/04/180F 1.5SN BK BX	4	100	84	180F
1842790000	SL-SMT 3.50/04/180F 3.2SN BK BX	4	100	84	180F
1760992001	SL-SMT 3.50/05/180F 1.5SN BK BX	5	50	72	180F
1842800000	SL-SMT 3.50/05/180F 3.2SN BK BX	5	50	72	180F
1761002001	SL-SMT 3.50/06/180F 1.5SN BK BX	6	50	66	180F

1842810000	SL-SMT 3.50/06/180F 3.2SN BK BX	6	50	66	180F
1842820000	SL-SMT 3.50/07/180F 3.2SN BK BX	7	50	54	180F
1761022001	SL-SMT 3.50/08/180F 1.5SN BK BX	8	50	48	180F
1842830000	SL-SMT 3.50/08/180F 3.2SN BK BX	8	50	48	180F
1842840000	SL-SMT 3.50/09/180F 3.2SN BK BX	9	50	48	180F
1761042001	SL-SMT 3.50/10/180F 1.5SN BK BX	10	50	42	180F
1842850000	SL-SMT 3.50/10/180F 3.2SN BK BX	10	50	42	180F
1842860000	SL-SMT 3.50/11/180F 3.2SN BK BX	11	50	36	180F
1842870000	SL-SMT 3.50/12/180F 3.2SN BK BX	12	50	36	180F
1842880000	SL-SMT 3.50/13/180F 3.2SN BK BX	13	50	30	180F
1842890000	SL-SMT 3.50/14/180F 3.2SN BK BX	14	50	30	180F
1842900000	SL-SMT 3.50/15/180F 3.2SN BK BX	15	50	30	180F
1842910000	SL-SMT 3.50/16/180F 3.2SN BK BX	16	50	24	180F
1842920000	SL-SMT 3.50/17/180F 3.2SN BK BX	17	20	24	180F
1761122001	SL-SMT 3.50/18/180F 1.5SN BK BX	18	20	24	180F
1842930000	SL-SMT 3.50/18/180F 3.2SN BK BX	18	20	24	180F
1842940000	SL-SMT 3.50/19/180F 3.2SN BK BX	19	20	24	180F
1842950000	SL-SMT 3.50/20/180F 3.2SN BK BX	20	20	24	180F
1842960000	SL-SMT 3.50/21/180F 3.2SN BK BX	21	20	18	180F
1842970000	SL-SMT 3.50/22/180F 3.2SN BK BX	22	20	18	180F
1842980000	SL-SMT 3.50/23/180F 3.2SN BK BX	23	20	18	180F
1842990000	SL-SMT 3.50/24/180F 3.2SN BK BX	24	20	18	180F