

Change of packaging to LL 5.0x and LM 5.0x

Dear Madam or Sir,

The below listed articles will be supplied in a modified packaging. Please pass this product information on to your employees and, if needed, to your customers. All modifications are performed for reasons of product improvements.

1. Initial situation

Due to key advantages and positive experience with other product series, LM 5.0x and LL 5.0x will also be changed to sorted packaging.

2. Technical change

The new type of packaging contains tray inlays, which in turn are inserted in Weidmüller printed cardboards.

Pic.1: existing packaging



Pic.2: new packaging with tray



3. Reason for change

Benefits of sorted packaging:

- Avoidance of damage during transportation and ensure a high-quality level
- Premium packaging without any price increase
- Standardized packaging size and thereby easier handling

4. Availability

- The change will be started in end of Q2/2022.
- Order-No. and price per 100pcs won't be changed
- There will be partially repackage initiatives for the existing inventory in our logistic centers, which might lead to some adjustments of existing orders. Customers will be informed in such cases
- Rest of the previously packaged items will continue to be delivered until inventory is exhausted
- For all new orders without inventory from Q2/2022 will be delivered with new packaging

5. Affected parts

The list with all affected parts please find attached.

We are very sorry for all the inconveniences caused and doing everything to adjust this change as smooth as possible without influence on delivery times and general functions.

For further questions, please contact your sales office directly. All contacts for sales representatives are available here:
www.weidmueller.com/contact

Best regards

Product Management

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16, 32758 Detmold

Weidmüller – Ihr Partner der Industrial Connectivity
Wir freuen uns auf den Dialog mit Ihnen – **Let's connect.**

Affected parts

LL 5.0x/90

Material	Material Description	ptich	pole no.	VPE	New VPE
1067530000	LL 5.00/02/90 3.2SN BK BX	5.00	02	100	174
1922920000	LL 5.00/02/90 4.5SN GY BX	5.00	02	100	174
1934270000	LL 5.00/02/90 3.2SN OR BX	5.00	02	100	174
2718020000	LL 5.00/02/90 3.2SN OR BX PRT	5.00	02	20	174
1067540000	LL 5.00/03/90 3.2SN BK BX	5.00	03	100	114
1934280000	LL 5.00/03/90 3.2SN OR BX	5.00	03	100	114
2700320000	LL 5.00/03/90 3.2SN OR BX PRT	5.00	03	20	114
2700330000	LL 5.00/03/90 3.2SN GY BX PRT	5.00	03	20	114
2700340000	LL 5.00/03/90 3.2SN GN BX PRT	5.00	03	20	114
2700350000	LL 5.00/03/90 3.2SN BK BX PRT	5.00	03	20	114
1001720000	LL 5.00/04/90 3.2SN OR BX	5.00	04	100	90
1001730000	LL 5.00/05/90 3.2SN OR BX	5.00	05	50	72
2429800000	LL 5.00/05/90 3.2SN OR BX TB	5.00	05	50	72
1001740000	LL 5.00/06/90 3.2SN OR BX	5.00	06	50	60
1001750000	LL 5.00/07/90 3.2SN OR BX	5.00	07	50	48
1001760000	LL 5.00/08/90 3.2SN OR BX	5.00	08	50	42
1922940000	LL 5.00/08/90 4.5SN RD BX	5.00	08	50	42
1922950000	LL 5.00/08/90 4.5SN GY BX	5.00	08	50	42
1001770000	LL 5.00/09/90 3.2SN OR BX	5.00	09	50	36
1001780000	LL 5.00/10/90 3.2SN OR BX	5.00	10	50	36
1001790000	LL 5.00/11/90 3.2SN OR BX	5.00	11	50	30
1001800000	LL 5.00/12/90 3.2SN OR BX	5.00	12	50	30
1251330000	LL 5.00/13/90 3.2SN OR BX	5.00	13	50	24
1001810000	LL 5.00/14/90 3.2SN OR BX	5.00	14	50	24
1251340000	LL 5.00/15/90 3.2SN OR BX	5.00	15	50	24
1001820000	LL 5.00/16/90 3.2SN OR BX	5.00	16	50	18
1251350000	LL 5.00/17/90 3.2SN OR BX	5.00	17	20	18
1251360000	LL 5.00/18/90 3.2SN OR BX	5.00	18	20	18
1251370000	LL 5.00/19/90 3.2SN OR BX	5.00	19	20	18
1251380000	LL 5.00/20/90 3.2SN OR BX	5.00	20	20	18
1922930000	LL 5.00/20/90 4.5SN GY BX	5.00	20	20	18
1251390000	LL 5.00/21/90 3.2SN OR BX	5.00	21	20	12
1251410000	LL 5.00/22/90 3.2SN OR BX	5.00	22	20	12
1251420000	LL 5.00/23/90 3.2SN OR BX	5.00	23	20	12
1001830000	LL 5.00/24/90 3.2SN OR BX	5.00	24	20	12
1045730000	LL 5.08/02/90 3.2SN GN BX	5.08	02	100	168
1067560000	LL 5.08/02/90 3.2SN BK BX	5.08	02	100	168
1923510000	LL 5.08/02/90 3.2SN GY BX	5.08	02	100	168
1934250000	LL 5.08/02/90 3.2SN OR BX	5.08	02	100	168
1934470000	LL 5.08/02/90 4.5SN OR BX	5.08	02	100	168
2567010000	LL 5.08/02/90 3.2SN BL BX	5.08	02	100	168
2567020000	LL 5.08/02/90 4.5SN ABGY BX	5.08	02	100	168
2567030000	LL 5.08/02/90 4.5SN GY BX	5.08	02	100	168
2567040000	LL 5.08/02/90 4.5SN OR BX JP	5.08	02	100	168

Material	Material Description	pitch	pole no.	VPE	New VPE
2567300000	LL 5.08/02/90 4.5SN BK BX	5.08	02	100	168
2567400000	LL 5.08/02/90 3.2SN BK BX SO	5.08	02	100	168
2596040000	LL 5.08/02/90 3.2SN OR BX PRT	5.08	02	50	168
2625370000	LL 5.08/02/90 4.5SN BK BX SO	5.08	02	100	168
2639710000	LL 5.08/02/90 3.2SN GN BX PRT	5.08	02	100	168
2654640000	LL 5.08/02/90 4.5SN OR BX PRT	5.08	02	100	168
2654660000	LL 5.08/02/90 4.5SN OR BX PRT	5.08	02	100	168
1045740000	LL 5.08/03/90 3.2SN GN BX	5.08	03	100	114
1067570000	LL 5.08/03/90 3.2SN BK BX	5.08	03	100	114
1117650000	LL 5.08/03/90 3.2SN GY BX	5.08	03	100	114
1934260000	LL 5.08/03/90 3.2SN OR BX	5.08	03	100	114
1934480000	LL 5.08/03/90 4.5SN OR BX	5.08	03	100	114
2567070000	LL 5.08/03/90 3.2SN ABGY BX	5.08	03	100	114
2567080000	LL 5.08/03/90 4.5SN ABGY BX	5.08	03	100	114
2567090000	LL 5.08/03/90 4.5SN BK BX	5.08	03	100	114
2567100000	LL 5.08/03/90 4.5SN GY BX	5.08	03	100	114
2567110000	LL 5.08/03/90 4.5SN OR BX JP	5.08	03	100	114
2625540000	LL 5.08/03/90 4.5SN BK BX SO	5.08	03	100	114
2630880000	LL 5.08/03/90 3.2SN BK BX SO	5.08	03	100	114
1001850000	LL 5.08/04/90 3.2SN OR BX	5.08	04	100	84
2567120000	LL 5.08/04/90 3.2SN BK BX	5.08	04	100	84
2567130000	LL 5.08/04/90 4.5SN OR BX	5.08	04	100	84
2595720000	LL 5.08/04/90 3.2SN OR BX PRT	5.08	04	50	84
2632600000	LL 5.08/04/90 3.2SN BK BX SO	5.08	04	100	84
2637530000	LL 5.08/04/90 4.5SN BK BX	5.08	04	100	84
2668390000	LL 5.08/04/90 3.2SN OR BX PRT	5.08	04	100	84
1001860000	LL 5.08/05/90 3.2SN OR BX	5.08	05	50	66
2475570000	LL 5.08/05/90 3.2SN BK BX TB	5.08	05	104	66
2637550000	LL 5.08/05/90 4.5SN OR BX	5.08	05	50	66
1001870000	LL 5.08/06/90 3.2SN OR BX	5.08	06	50	60
1507440000	LL 5.08/06/90 3.2SN BK BX	5.08	06	50	60
2475720000	LL 5.08/06/90 3.2SN BK BX TB	5.08	06	104	60
2567140000	LL 5.08/06/90 4.5SN OR BX	5.08	06	50	60
2634910000	LL 5.08/06/90 3.2SN OR BX PRT	5.08	06	50	60
2684860000	LL 5.08/06/90 4.5SN BK BX SO	5.08	06	50	60
1001880000	LL 5.08/07/90 3.2SN OR BX	5.08	07	50	48
2567150000	LL 5.08/07/90 3.2SN BK BX	5.08	07	50	48
2637560000	LL 5.08/07/90 4.5SN OR BX	5.08	07	50	48
2684970000	LL 5.08/07/90 4.5SN BK BX SO	5.08	07	50	48
1001890000	LL 5.08/08/90 3.2SN OR BX	5.08	08	50	42
1001900000	LL 5.08/09/90 3.2SN OR BX	5.08	09	50	36
2567160000	LL 5.08/09/90 4.5SN OR BX	5.08	09	50	36
1001910000	LL 5.08/10/90 3.2SN OR BX	5.08	10	50	36
2475760000	LL 5.08/10/90 3.2SN BK BX	5.08	10	52	36
2567170000	LL 5.08/10/90 4.5SN GY BX SO	5.08	10	50	36
2567180000	LL 5.08/10/90 4.5SN OR BX	5.08	10	50	36
2637540000	LL 5.08/10/90 4.5SN BK BX	5.08	10	50	36
2684980000	LL 5.08/10/90 4.5SN BK BX SO	5.08	10	50	36

Material	Material Description	ptich	pole no.	VPE	New VPE
1001920000	LL 5.08/11/90 3.2SN OR BX	5.08	11	50	30
2475730000	LL 5.08/11/90 3.2SN BK BX TB	5.08	11	52	30
2475740000	LL 5.08/11/90 3.2SN BK BX TB	5.08	11	52	30
2567190000	LL 5.08/11/90 3.2SN BK BX TB	5.08	11	50	30
2567200000	LL 5.08/11/90 3.2SN BK BX	5.08	11	50	30
1001930000	LL 5.08/12/90 3.2SN OR BX	5.08	12	50	30
2567220000	LL 5.08/12/90 3.2SN BK BX	5.08	12	50	30
2567230000	LL 5.08/12/90 4.5SN OR BX	5.08	12	50	30
2567560000	LL 5.08/12/90 3.2SN GY BX	5.08	12	50	30
2637150000	LL 5.08/12/90 4.5SN BK BX	5.08	12	50	30
2684990000	LL 5.08/12/90 4.5SN BK BX SO	5.08	12	50	30
1001940000	LL 5.08/13/90 3.2SN OR BX	5.08	13	50	24
2475750000	LL 5.08/13/90 3.2SN BK BX TB	5.08	13	26	24
1001950000	LL 5.08/14/90 3.2SN OR BX	5.08	14	50	24
2596050000	LL 5.08/14/90 3.2SN OR BX PRT	5.08	14	50	24
1001960000	LL 5.08/15/90 3.2SN OR BX	5.08	15	50	24
2567210000	LL 5.08/15/90 3.2SN GY BX TB	5.08	15	50	24
2567240000	LL 5.08/15/90 4.5SN OR BX	5.08	15	50	24
1001970000	LL 5.08/16/90 3.2SN OR BX	5.08	16	50	18
2010750000	LL 5.08/16/90 3.2SN BK BX	5.08	16	50	18
2020840000	LL 5.08/16/90 3.2SN BK BX PRT	5.08	16	50	18
2421490000	LL 5.08/16/90 3.2SN BK BX PRT	5.08	16	50	18
2567250000	LL 5.08/16/90 4.5SN GY BX SO	5.08	16	50	18
2567260000	LL 5.08/16/90 4.5SN OR BX	5.08	16	50	18
2596030000	LL 5.08/16/90 3.2SN OR BX PRT	5.08	16	50	18
1001980000	LL 5.08/17/90 3.2SN OR BX	5.08	17	20	18
1001990000	LL 5.08/18/90 3.2SN OR BX	5.08	18	20	18
2596060000	LL 5.08/18/90 3.2SN OR BX PRT	5.08	18	50	18
2617140000	LL 5.08/18/90 3.2SN OR BX PRT	5.08	18	50	18
1002000000	LL 5.08/19/90 3.2SN OR BX	5.08	19	20	18
2567270000	LL 5.08/19/90 3.2SN BK BX	5.08	19	20	18
2685000000	LL 5.08/19/90 4.5SN BK BX SO	5.08	19	20	18
1002010000	LL 5.08/20/90 3.2SN OR BX	5.08	20	20	18
1002020000	LL 5.08/21/90 3.2SN OR BX	5.08	21	20	12
1002030000	LL 5.08/22/90 3.2SN OR BX	5.08	22	20	12
1002040000	LL 5.08/23/90 3.2SN OR BX	5.08	23	20	12
1002050000	LL 5.08/24/90 3.2SN OR BX	5.08	24	20	12
2567280000	LL 5.08/24/90 4.5SN BK BX	5.08	24	20	12

LM 5.0x/90

Material	Material Description	pitch	pole no.	VPE	New VPE
1715250000	LM 5.00/02/90 3.5SN BK BX	5.00	02	500	174
1715370000	LM 5.00/02/90 3.5SN GN BX	5.00	02	500	174
1716020000	LM 5.08/02/90 3.5SN BK BX	5.00	02	500	174
1716080000	LM 5.08/02/90 3.5SN OR BX	5.00	02	500	174
1913110000	LM 5.00/02/90 3.5SN GY BX	5.00	02	500	174
1915690000	LM 5.08/02/90 3.5SN GY BX	5.00	02	500	174
1033480000	LM 5.00/3/90 SW SO	5.00	03	500	114
1257800000	LM 5.00/03/90 3.5SN OR BX PRT	5.00	03	500	114
1541220000	LM 5.00/03/90 3.5SN GN BX PRT	5.00	03	100	114
1715320000	LM 5.00/03/90 3.5SN OR BX	5.00	03	500	114
1715380000	LM 5.00/03/90 3.5SN GN BX	5.00	03	500	114
1716030000	LM 5.08/03/90 3.5SN BK BX	5.00	03	500	114
1913120000	LM 5.00/03/90 3.5SN GY BX	5.00	03	500	114
1913000000	LM 5.00/04/90 3.5SN GN BX	5.00	04	50	90
1913150000	LM 5.00/04/90 3.5SN GY BX	5.00	04	50	90
1915140000	LM 5.08/04/90 3.5SN GN BX	5.00	04	50	90
9993920000	LM 5.08/04/90 3.5SN BK BX	5.00	04	50	90
1010050000	LM 5.00/05/90 3.5OR BED	5.00	05	50	72
1913160000	LM 5.00/05/90 3.5SN GY BX	5.00	05	50	72
9993930000	LM 5.08/05/90 3.5SN BK BX	5.00	05	50	72
1434180000	LM 5.08/06/90 3.5SN BK BX PRT	5.00	06	50	60
1507640000	LM 5.08/06/90 3.5SN BK BX PRT	5.00	06	50	60
9993940000	LM 5.08/06/90 3.5SN BK BX	5.00	06	50	60
1845330000	LM 5.00/07/90 3.5SN OR BX	5.00	07	50	48
1845340000	LM 5.00/08/90 3.5SN OR BX	5.00	08	50	42
1913190000	LM 5.00/08/90 3.5SN GY BX	5.00	08	50	42
1915640000	LM 5.08/08/90 3.5SN GN BX	5.00	08	50	42
1845350000	LM 5.00/09/90 3.5SN OR BX	5.00	09	50	36
1913200000	LM 5.00/09/90 3.5SN GY BX	5.00	09	50	36
1845360000	LM 5.00/10/90 3.5SN OR BX	5.00	10	50	36
1845370000	LM 5.00/11/90 3.5SN OR BX	5.00	11	50	30
1845380000	LM 5.00/12/90 3.5SN OR BX	5.00	12	50	30
1234090000	LM 5.00/15/90 3.5SN OR BX	5.00	15	50	24
1234120000	LM 5.00/16/90 3.5SN OR BX	5.00	16	50	18
1234130000	LM 5.00/17/90 3.5SN OR BX	5.00	17	50	18
1234140000	LM 5.00/18/90 3.5SN OR BX	5.00	18	50	18
1234150000	LM 5.00/19/90 3.5SN OR BX	5.00	19	50	18
1234170000	LM 5.00/20/90 3.5SN OR BX	5.00	20	50	18
1234180000	LM 5.00/21/90 3.5SN OR BX	5.00	21	50	12
1234190000	LM 5.00/22/90 3.5SN OR BX	5.00	22	50	12
1234200000	LM 5.00/23/90 3.5SN OR BX	5.00	23	50	12
1234210000	LM 5.00/24/90 3.5SN OR BX	5.00	24	50	12
1715310000	LM 5.00/02/90 3.5SN OR BX	5.08	02	500	168
1716140000	LM 5.08/02/90 3.5SN GN BX	5.08	02	100	168
1799820000	LM 5.08/02/90 3.5SN GY BX WLD	5.08	02	100	168
1046480000	LM 5.08/02/90 3.5SN L-GN BX	5.08	02	100	168
1202220000	LM 5.00/03/90 3.5SN OR BX TB	5.08	03	500	114
1715260000	LM 5.00/03/90 3.5SN BK BX	5.08	03	500	114

Material	Material Description	ptich	pole no.	VPE	New VPE
1716090000	LM 5.08/03/90 3.5SN OR BX	5.08	03	500	114
1716150000	LM 5.08/03/90 3.5SN GN BX	5.08	03	100	114
1799830000	LM 5.08/03/90 3.5SN GY BX WLD	5.08	03	100	114
2497590000	LM 5.08/03/90 3.5SN OR BX PRT	5.08	03	500	114
2513600000	LM 5.08/03/90 3.5SN OR BX PRT	5.08	03	500	114
1046460000	LM 5.08/03/90 3.5SN L-OR BX	5.08	03	500	114
1821490000	LM 5.00/04/90 3.5SN OR BX	5.08	04	50	84
2578850000	LM 5.08/04/90 3.5SN GN BX PRT	5.08	04	50	84
9993300000	LM 5.00/04/90 3.5SN BK BX	5.08	04	50	84
9994130000	LM 5.08/04/90 3.5SN OR BX	5.08	04	50	84
1845310000	LM 5.00/05/90 3.5SN OR BX	5.08	05	50	72
9994140000	LM 5.08/05/90 3.5SN OR BX	5.08	05	50	72
1845320000	LM 5.00/06/90 3.5SN OR BX	5.08	06	50	60
2633500000	LM 5.08/06/90 3.5SN GN BX PRT	5.08	06	50	60
9993320000	LM 5.00/06/90 3.5SN BK BX	5.08	06	50	60
9994150000	LM 5.08/06/90 3.5SN OR BX	5.08	06	50	60
1020710000	LM 5.08/7/4/90 SW	5.08	07	50	48
9994160000	LM 5.08/07/90 3.5SN OR BX	5.08	07	50	48
2016440000	LM 5.08/08/90 3.5SN OR BX TB	5.08	08	50	42
9993340000	LM 5.00/08/90 3.5SN BK BX	5.08	08	50	42
9993960000	LM 5.08/08/90 3.5SN BK BX	5.08	08	50	42
9994170000	LM 5.08/08/90 3.5SN OR BX	5.08	08	50	42
9994180000	LM 5.08/09/90 3.5SN OR BX	5.08	09	50	36
9994190000	LM 5.08/10/90 3.5SN OR BX	5.08	10	50	36
9994200000	LM 5.08/11/90 3.5SN OR BX	5.08	11	50	30
1956090000	LM 5.08/12/90 SNOR BEDR.	5.08	12	50	30
9994000000	LM 5.08/12/90 3.5SN BK BX	5.08	12	50	30
9994210000	LM 5.08/12/90 3.5SN OR BX	5.08	12	50	30
1234050000	LM 5.00/13/90 3.5SN OR BX	5.08	13	50	24
9994220000	LM 5.08/13/90 3.5SN OR BX	5.08	13	50	24
1234070000	LM 5.00/14/90 3.5SN OR BX	5.08	14	50	24
9994230000	LM 5.08/14/90 3.5SN OR BX	5.08	14	50	24
1542910000	LM 5.08/15/90 3.5SN BX SO	5.08	15	50	24
1543510000	LM 5.08/15/90 3.5SN BX SO	5.08	15	50	24
9994240000	LM 5.08/15/90 3.5SN OR BX	5.08	15	50	24
9994250000	LM 5.08/16/90 3.5SN OR BX	5.08	16	50	18
9994260000	LM 5.08/17/90 3.5SN OR BX	5.08	17	50	18
9994270000	LM 5.08/18/90 3.5SN OR BX	5.08	18	50	18
9994280000	LM 5.08/19/90 3.5SN OR BX	5.08	19	50	18
9994290000	LM 5.08/20/90 3.5SN OR BX	5.08	20	50	18
9994300000	LM 5.08/21/90 3.5SN OR BX	5.08	21	50	12
9994310000	LM 5.08/22/90 3.5SN OR BX	5.08	22	50	12
9994320000	LM 5.08/23/90 3.5SN OR BX	5.08	23	50	12
9994330000	LM 5.08/24/90 3.5SN OR BX	5.08	24	50	12