

Industrial Ethernet IE-BI-BNC-C

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 16

D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-292083

www.weidmueller.com



BNC coupling as per IEC 61169-8

General ordering data

Type	IE-BI-BNC-C
Order No.	1345020000
Version	Coupling
GTIN (EAN)	4050118149340
Qty.	1 pc(s).

Industrial Ethernet IE-BI-BNC-C

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
www.weidmueller.com

Technical data

Dimensions and weights

Net weight	24 g
------------	------

Temperatures

Operating temperature	Storage temperature
Installation temperature	

General data

Characteristic impedance	50 Ω	Housing main material	Brass, nickel-plated
Insulation	PTFE	O-Ring	NBR
Return loss (attenuation)	23 dB at 4 GHz, 27 dB at 1 GHz		

Standards

Connector standard	IEC 61169-8
--------------------	-------------

Classifications

ETIM 6.0	EC001121	eClass 6.2	27-25-05-04
eClass 7.1	27-25-05-04	eClass 8.1	19-17-01-25
eClass 9.0	19-17-01-25	eClass 9.1	19-17-01-25

Approvals

ROHS	Conform
------	---------

Downloads


Brochure/Catalogue	CAT 9 IETH 15/16 EN MB FREECONTACT EN FL FIELDWIRING EN PI PROFINET CABLING EN
User Documentation	MAN IE GUIDE DE MAN IE GUIDE EN

Industrial Ethernet IE-BI-BNC-C

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings

Dimensioned drawing



Installation cut-out

