

**Rectifier modules
RSX LOETST. LP****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 16


D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-292083

www.weidmueller.com



Axial components such as resistors, diodes and capacitors, can be soldered into the RSX component modules.

Depending on the version, up to eight components can be soldered into our RSX modules.

General ordering data

Available until	1970-01-01
Type	RSX LOETST. LP
Order No.	0329761001
Version	Assembly modul, Number of signals: 5
GTIN (EAN)	4032248043729
Qty.	5 pc(s).

**Rectifier modules
RSX LOETST. LP****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 16

D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-292083

www.weidmueller.com

Technical data**Dimensions and weights**

Net weight	36.35 g
------------	---------

Connection data

Type of connection	Screw connection
--------------------	------------------

Classifications

ETIM 3.0	EC001419	ETIM 6.0	EC002780
UNSPSC	30-21-18-01	eClass 5.1	27-24-22-04
eClass 6.2	27-24-22-04	eClass 7.1	27-24-22-04
eClass 9.0	27-14-11-52	eClass 9.1	27-14-11-52

Approvals

Approvals



ROHS

Conform

Downloads

Engineering Data	WSCAD
------------------	-----------------------

Rectifier modules RSX LOETST. LP

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 16

D-32758 Detmold


Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-292083

www.weidmueller.com

Drawings



Rectifier modules RSX LOETST. LP

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Accessories

TS 35



General ordering data

Type	Order No.	Version	GTIN (EAN)	Qty.
TS 35X7.5/LL 2M/ST/SZ	7915060000	Rail, TS 35, TS 35 x 7.5, with slot, Steel, Sendzimir galvanised, chromium- plated	4032248296279	2 m
TS 35X15 2M/ST/ZN	0236400000	Rail, TS 35, TS 35 x 15, without slot, Steel, galvanized, chromium- plated	4008190114558	2 m
TS 35X15/2.3 2M/ST/ZN	0498000000	Rail, TS 35, TS 35 x 15, without slot, Steel, galvanized, chromium- plated	4008190042493	2 m
TS 35X7.5 2M/ST/SZ	9300090000	Rail, TS 35, TS 35 x 7.5, without slot, Steel, Sendzimir galvanised, chromium-plated	4032248387564	2 m
TS 35X7.5/LL 1M/ST/ZN	0514510000	Rail, TS 35, TS 35 x 7.5, with slot, Steel, galvanized, chromium-plated	4008190116620	1 m
TS 35X15/LL 2M/ST/SZ	7907490000	Rail, TS 35, TS 35 x 15, with slot, Steel, Sendzimir galvanised, chromium- plated	4032248296262	2 m
TS 35X7.5 1M/ST/ZN	0383410000	Rail, TS 35, TS 35 x 7.5, without slot, Steel, galvanized, chromium- plated	4008190115623	1 m
TS 35X7.5 2M/ST/ZN	0383400000	Rail, TS 35, TS 35 x 7.5, without slot, Steel, galvanized, chromium- plated	4008190088026	2 m
TS 35X15/2.3 2M/AL/BK	1848290000	Rail, TS 35, TS 35 x 15, without slot, Aluminium, untreated	4032248385614	2 m
TS 35X15/LL 2M/ST/ZN	0236500000	Rail, TS 35, TS 35 x 15, with slot, Steel, galvanized, chromium-plated	4008190183967	2 m
TS 35X15/LL 1M/ST/ZN	0236510000	Rail, TS 35, TS 35 x 15, with slot, Steel, galvanized, chromium-plated	4008190017699	1 m

Creation date July 25, 2019 7:55:24 AM CEST

Rectifier modules RSX LOETST. LP

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Accessories

TS 35X7.5 2M/CRN	1747350000	Rail, TS 35, TS 35 x 7.5, without slot, Stainless steel, rust-proof, untreated	4032248003372 2 m
TS 35X7.5/LL 2M/ST/ZN	0514500000	Rail, TS 35, TS 35 x 7.5, with slot, Steel, galvanized, chromium-plated	4008190046019 2 m
TSK 35X15 2M PVC/GR	0514300000	Rail, TS 35, TS 35 x 15, without slot, PVC, untreated	4008190052263 2 m
TS 35X15/2.3 2M/CU/BK	0270100000	Rail, TS 35, TS 35 x 15, without slot, Copper, untreated	4008190105136 2 m
TS 35X7.5 2M/AL/BK	0330800000	Rail, TS 35, TS 35 x 7.5, without slot, Aluminium, untreated	4008190100650 2 m

End brackets




Klippon® Connect with clamping yoke Technology

The high reliability and variety of designs of the terminal blocks with clamping yoke connections make planning easier and optimises operational safety. Klippon® Connect provides a proven response to a range of different requirements.

General ordering data

Type	Order No.	Version	GTIN (EAN)	Qty.
WEW 35/2	1061200000	W-Series, End bracket	4008190030230	100 pc(s).
WEW 35/1	1059000000	W-Series, End bracket	4008190172282	50 pc(s).

End brackets



Spring connection with tension clamp Technology

Tension clamp technology is a universal contact system for all common conductor connection types. Its fantastic level of flexibility makes the tension clamp a profitable alternative connection.

General ordering data

Type	Order No.	Version	GTIN (EAN)	Qty.
ZEW 35/2	8630740000	Z-series, End bracket	4032248348916	20 pc(s).
ZEW 35	9540000000	Z-series, End bracket	4008190956264	20 pc(s).

**Rectifier modules
RSX LOETST. LP**

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Accessories
End bracket

Klippon® Connect with clamping yoke Technology

The high reliability and variety of designs of the terminal blocks with clamping yoke connections make planning easier and optimises operational safety. Klippon® Connect provides a proven response to a range of different requirements.

General ordering data

Type	Order No.	Version	GTIN (EAN)	Qty.
EW 35	0383560000	Accessories, End bracket	4008190181314 50 pc(s).	
EWK 2	0199360000	Accessories, End bracket	4008190023546 50 pc(s).	
EW 35/ SCHA/M3	0258660000	Accessories, End bracket	4008190033477 20 pc(s).	
EW 35 GR 7032	0383530000	Accessories, End bracket	4008190027322 50 pc(s).	

TS 32

General ordering data

Type	Order No.	Version	GTIN (EAN)	Qty.
TS 32X15 2M/ST/ZN	0122800000	Rail, TS 32, without slot, Steel, galvanized, chromium-plated	4008190066307 2 m	