

## IE-USB-A-A-1.5M

**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)



Assembled IE cables

### General ordering data

|            |                                     |
|------------|-------------------------------------|
| Version    | USB cable, USB A, USB A, PVC, 1.5 m |
| Order No.  | <a href="#">1993550015</a>          |
| Type       | IE-USB-A-A-1.5M                     |
| GTIN (EAN) | 4050118378573                       |
| Qty.       | 1 pc(s).                            |

Creation date July 21, 2021 5:41:20 PM CEST

Catalogue status 16.07.2021 / We reserve the right to make technical changes.

**IE-USB-A-A-1.5M****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Technical data****Dimensions and weights**

|            |       |                 |             |
|------------|-------|-----------------|-------------|
| Length     | 1.5 m | Length (inches) | 59.055 inch |
| Net weight | 52 g  |                 |             |

**Temperatures**

|                       |                |
|-----------------------|----------------|
| Operating temperature | -15 °C...80 °C |
|-----------------------|----------------|

**Environmental Product Compliance**

|            |                |
|------------|----------------|
| REACH SVHC | Lead 7439-92-1 |
|------------|----------------|

**Technical specifications for cable**

|                  |       |
|------------------|-------|
| Sheathing colour | black |
|------------------|-------|

**General technical data**

|                 |                  |
|-----------------|------------------|
| Contact surface | Gold over nickel |
|-----------------|------------------|

**Cable structure**

|                       |                   |                       |        |
|-----------------------|-------------------|-----------------------|--------|
| Cross-section         | 2*AWG28 + 2*AWG24 | Material sheath       | PVC    |
| Sheath diameter       | 4.5 mm            | Sheath diameter, max. | 4.7 mm |
| Sheath diameter, min. | 4.3 mm            | Sheathing colour      | black  |

**Plug, left**

|                |       |                             |                  |
|----------------|-------|-----------------------------|------------------|
| Connector left | USB A | Contact surface, plug, left | Gold over nickel |
|----------------|-------|-----------------------------|------------------|

**Plug, right**

|                 |       |                 |                  |
|-----------------|-------|-----------------|------------------|
| Connector right | USB A | Contact surface | Gold over nickel |
|-----------------|-------|-----------------|------------------|

**plug**

|                |       |                 |       |
|----------------|-------|-----------------|-------|
| Connector left | USB A | Connector right | USB A |
|----------------|-------|-----------------|-------|

**Classifications**

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| ETIM 6.0    | EC000830    | ETIM 7.0    | EC003249    |
| ETIM 8.0    | EC003249    | ECLASS 9.0  | 27-06-20-11 |
| ECLASS 9.1  | 27-06-90-90 | ECLASS 10.0 | 27-06-01-06 |
| ECLASS 11.0 | 27-06-01-06 |             |             |

**Approvals**

|      |         |
|------|---------|
| ROHS | Conform |
|------|---------|

## IE-USB-A-A-1.5M

**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Technical data

### Downloads

|                    |                                                                                                                       |
|--------------------|-----------------------------------------------------------------------------------------------------------------------|
| User Documentation | <a href="#">MAN IE GUIDE DE</a><br><a href="#">MAN IE GUIDE EN</a>                                                    |
| Catalogues         | <a href="#">Catalogues in PDF-format</a>                                                                              |
| Brochures          | <a href="#">FL FIELDWIRING EN</a><br><a href="#">PI PROFINET CABLING EN</a><br><a href="#">PI PROFINET CABLING EN</a> |