



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com





1-pole fork-type phase distribution bars are used for potential distribution to other components in the control cabinet such as circuit breakers, residual current circuit breakers and other installation devices.

General ordering data

Version	Phase busbar (Terminals), 80, Number of poles:
	37, Insulated: Yes, 16
Order No.	<u>2657900000</u>
Туре	G-1L+9-1000/16
GTIN (EAN)	4050118672626
Qty.	50 ST
Delivery status	This article will no longer be available in the future.
Available until	2025-06-01T00:00:00+02:00





Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Technical data

Approvals	,		
Approvals	(6		
DOLLO			
ROHS	Conform		
Dimensions and weights			
Depth	16.8 mm	Depth (inches)	0.6614 inch
Height	16.5 mm	Height (inches)	0.6496 inch
Width	1016 mm	Width (inches)	39.9999 inch
Net weight	46.32 g		
Temperatures			
Ambient temperature	-5 °C40 °C		
Environmental Product C	Compliance		
RoHS Compliance Status	Compliant without exe	•	
REACH SVHC	No SVHC above 0.1 w	t%	
Material data			
Colour	grey		
Additional technical data	1		
Explosion-tested version	No		
Dimensions			
Pitch in mm (P)	17.80 mm		
General			
Number of poles	37		
Rating data	<u> </u>		1
nating data			
Rated cross-section	16 mm ²	Rated voltage	400 V
Rated current	80 A		
Classifications			
ETIM 7.0	F000024F	FTIM O O	F000034F
ETIM 7.0 ETIM 9.0	EC000215 EC000215	ETIM 8.0 ETIM 10.0	EC000215 EC000215
ECLASS 11.0	27-37-13-06	ECLASS 12.0	27-37-13-06
ECLASS 11.0 ECLASS 13.0	27-37-13-06	ECLASS 12.0 ECLASS 14.0	27-37-13-06
		LULTUU 17.U	Z1 31-13-00

Creation date 05.07.2025 10:38:29 MEZ

Catalogue status / Drawings 2




Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Drawings

Drawing







Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Accessories

Feed in terminals



Our feed-in modules facilitate handling when feeding the system. For example, the bending radius of the cable can be reduced by using a feed-in module with side entry.

General ordering data

Туре	FIT 25 GN	Version
Order No.	2659050000	Auxiliary connection (terminal), 25 mm ²
GTIN (EAN)	4050118671483	
Qty.	10 ST	
Туре	FIT 25 SN	Version
Order No.	<u>2659060000</u>	Auxiliary connection (terminal), 25 mm ²
GTIN (EAN)	4050118671476	
Qty.	30 ST	
Туре	FIT 50 GN	Version
Order No.	2659070000	Auxiliary connection (terminal), 50 mm ²
GTIN (EAN)	4050118671469	
Qty.	3 ST	
Туре	FIT 50 GN/F	Version
Order No.	2659090000	Auxiliary connection (terminal), 50 mm ²
GTIN (EAN)	4050118671445	
_		
Qty.	3 ST	
Oty.	3 ST FIT 50 SN	Version
•		Version Auxiliary connection (terminal), 50 mm²
Туре	FIT 50 SN	
Type Order No.	FIT 50 SN 2659080000	
Type Order No. GTIN (EAN)	FIT 50 SN 2659080000 4050118671452	
Type Order No. GTIN (EAN) Oty.	FIT 50 SN 2659080000 4050118671452 3 ST	Auxiliary connection (terminal), 50 mm ²
Type Order No. GTIN (EAN) Oty. Type	FIT 50 SN 2659080000 4050118671452 3 ST FIT 50 SN/F	Auxiliary connection (terminal), 50 mm² Version
Type Order No. GTIN (EAN) Oty. Type Order No.	FIT 50 SN 2659080000 4050118671452 3 ST FIT 50 SN/F 2659100000	Auxiliary connection (terminal), 50 mm² Version

End caps and covers



End caps and covers ensure the required creepage distances in the system even after the bus bars have been cut to length or in the case of free-standing contacts, and guarantee finger safety in accordance with DIN EN 50274.





Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Accessories

General ordering data

Type	PROTECTION COVER G+S /5	Version
Order No.	2659040000	Terminal cover, yellow, Height: 18.3 mm, Width: 8.1 mm, Depth: 18
GTIN (EAN)	4050118671490	mm
Qty.	10 ST	
Туре	END CAP G+S 1L/10-16	Version
Type Order No.	END CAP G+S 1L/10-16 2658970000	Version Terminal cover, grey, Height: 16.8 mm, Width: 4.5 mm, Depth: 16.8