

# **Product Compliance Declaration**

Please see <u>www.molex.com</u> for the most up-to-date information.

#### **Contact Information**

Name Molex Product Compliance E-Mail Product.Compliance@molex.com

#### **Part Information**

Part Number 0314022200 Part Weight 4.339G

Part Name MX64 FEM 1X2 GETMETAL WOCPA GRY POLB/2

## **Product Composition**

Name	Туре	CAS Number	Proportion (% Total)	Mass (Grams)
MX64 FEM 1X2 GETMETAL WOCPA GRY POLB/2	Assembly		100	4.339
MX FEM MATTE SEAL X ROYAL BLUE	Component		2.9961	0.13
VMQ	Material		2.9961	0.13
VMQ	Substance		2.8912	0.12545
Pigment Blue 29 (C.I.)	Substance	57455-37-5	0.015	0.00065
Dimethylsilicone	Substance	63148-62-9	0.009	0.00039
Siloxanes and silicones, di-Me, Me Ph	Substance	63148-52-7	0.0509	0.00221
Silica, amorphous	Substance	112926-00-8	0.03	0.0013
MX64 FEM TERM HSNG 1X2 GETMETAL BLK	Component		16.9624	0.736
PA66+PS GF BLACK	Material		16.9624	0.736
PS	Substance		4.8343	0.20976
PA66	Substance		5.0548	0.219328
GF-Fibre	Substance		5.428	0.23552

#### Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Name	Туре	CAS Number	Proportion (% Total)	Mass (Grams)
Carbon black	Substance	1333-86-4	0.0339	0.001472
Further Additives, not to declare	Substance	system	1.6114	0.06992
MX64 FEM CONN HSNG 1X2 POLB GETMETAL GRY	Component		69.8087	3.029
PBT GF GRAY	Material		69.8087	3.029
PBT	Substance		57.9412	2.51407
GF-Fibre	Substance		10.4713	0.45435
Further Additives, not to declare	Substance	system	1.3962	0.06058
MX PERIPHERAL SEAL X LTBLUE	Component		4.3789	0.19
VMQ	Material		4.3789	0.19
VMQ	Substance		4.3526	0.18886
Pigment Blue 29 (C.I.)	Substance	57455-37-5	0.0175	0.00076
Dimethylsilicone	Substance	63148-62-9	0.0088	0.00038
MX64 FEM TPA 1X2 NAT	Component		5.8539	0.254
PA66+PS-GF20 NATURAL	Material		5.8539	0.254
PS	Substance		1.2201	0.052941
PA66	Substance		3.3102	0.143629
GF-Fibre	Substance		1.1535	0.050051
Further Additives, not to declare	Substance	system	0.1701	0.007379

## **ROHS Declaration Information**

Regulatory Revision EU 2015/863

Compliance Status Compliant

**Contained Substances Exceeding Threshold** 

None

**Exemptions** 

None

#### Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

## **REACH-SVHC Declaration Information**

Regulatory Revision D(2020)9139-DC (19 Jan 2021)

**Contained Substances Exceeding Threshold** 

None

#### **GADSL Declaration Information**

Regulatory Revision GADSL imported from IMDS

## **Contained Substances Exceeding Threshold**

Substance Group	Substance Location	Threshold (PPM)	Concentration (PPM)	Intentionally Added
glass, oxide, chemicals	PA66+PS-GF20 NATURAL	*Note	210,000	Yes
glass, oxide, chemicals	PBT GF GRAY	*Note	150,000	Yes

<sup>\*</sup>Note: For GADSL substance declarable/prohibited threshold values, please reference http://www.gadsl.org/

### **Exemptions**

None

#### **HFLH** Declaration Information

Regulatory Revision IEC 61249-2-21

## **Contained Substances Exceeding Threshold**

None

# **China ROHS Declaration Information**

Part Number 0314022200

Part Name MX64 FEM 1X2 GETMETAL WOCPA

GRY POLB/2

Part Information

#### **Hazardous Substances**

Components	Lead	Mercury	Cadmium	Hex. Chromium	PBB	PBDE	
------------	------	---------	---------	------------------	-----	------	--

#### Form Rev - F

Limitation of this Product Compliance Declaration: This declaration is based on the state of knowledge and belief of Molex as of the date that it is provided. Molex bases its knowledge and belief on information provided by numerous sources, including third parties, and in certain circumstances laboratory test results. Molex has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and substances. Molex represents that to the best of its knowledge that the information provided in this declaration is accurate. Molex's sole liability shall be to either replace the product or refund the purchase price of the product if it does not meet the requirement of this declaration.

Components	Lead	Mercury	Cadmium	Hex. Chromium	PBB	PBDE
MX64 FEM 1X2 GETMETAL WOCPA GRY POLB/2	0	0	0	0	0	0
MX FEM MATTE SEAL X ROYAL BLUE	0	0	0	0	0	0
MX64 FEM TERM HSNG 1X2 GETMETAL BLK	0	0	0	0	0	0
MX64 FEM CONN HSNG 1X2 POLB GETMETAL GRY	0	0	0	0	0	0
MX PERIPHERAL SEAL X LTBLUE	0	0	0	0	0	0
MX64 FEM TPA 1X2 NAT	0	0	0	0	0	0

# **Process Information**

Component Plating / Surface Finish	N/A
Termination Base Alloy	N/A
Solder Alloy	N/A
Process Capability	N/A
Maximum Exposure Time (seconds)	N/A
Maximum Process Temperature (C)	N/A
Maximum Cycles at Reflow Temperature	N/A
J-STD-020 Moisture Sensitivity Level	N/A

Mar 24, 2021